

**IN MUSHROOM PRODUCTION AND PROCESSING:** To control adult Phorids, Sciards, and Cecidomyids in growing houses, apply at a rate of 1 ounce per 1,000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2,000 cubic feet of space.

**NOTICE**

Seller's guarantee shall be limited to the terms of the label, and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

5 2

MALATHION REREGISTRATION REVISIONS 2-22-89  
Phase 2-List C Response 1/4/90

Front Panel

IMPERIAL  
FOOD PLANT SPRAY  
READY TO USE

For Use In and Around Meat and Food Processing Plants

ACTIVE INGREDIENTS:

Malathion: 0,0-dimethyl phosphorodithioate of  
diethyl mercaptosuccinate ..... 2.50%

INERT INGREDIENTS: ..... 0.25%

Petroleum Hydrocarbons ..... 97.25%

Total ..... 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS


NET CONTENTS \_

EPA Reg. No. 407-358  
EPA Est. 407-IA-1

E-74-84-1

Manufactured by  
IMPERIAL INC.  
SHENANDOAH, IA 51601

Not Registered For Sale in California  
Do not use on food crops  
Use only on food processing plants



**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Do not contaminate feed or food products.

DO NOT use in edible products area of food processing plants, or other areas where food is commercially prepared or processed. DO NOT use in serving areas while food is exposed.

Avoid contamination of food, utensils, milk, milking equipment and water. DO NOT use in milk processing rooms.

NOTE TO PHYSICIAN: Malathion may cause cholinesterase inhibition. Atropine is antidotal.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of waste. Do not use this material in any manner not specified on this label.

**CHEMICAL OR PHYSICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame. This product may damage finished surfaces.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE:** Store in a secure area, in original container only, away from fertilizers, food, or feed. Do not store near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration.

**AS A SURFACE SPRAY**

**IN AND AROUND FOOD PROCESSING PLANTS, DAIRIES, AND HOMES:** To control ants, centipedes, clover mites, cockroaches, crickets, earwigs, silverfish, spiders, and pantry pests (cigarette, drug store, flour and sawtoothed grain beetles, Indian meal moth and rice weevil).

Apply by means of a coarse spray, paint brush or pressurized spray toward insects, into cracks and crevices (such as openings in expansion joints, between equipment and floors), along walls, baseboards and under storage platforms, around the base of machinery, containers of stored products and other areas where insects may hide or enter premises.

