

Phase 2-List C Response 1/4/90

Front Panel

**IMPERIAL  
1.50% PRAMITOL<sup>R</sup>  
VEGETATION KILLER**

Ready to Use

**BARE GROUND WEED CONTROL AROUND:**

Buildings, Fences, Recreational Areas, Drainage Ditch Banks, Fuel Tanks, Roadways, Storage Areas, Machinery, Pumps, Guard Rails, Airports, Military Installations, Highway Medians, Pipelines, Railroads, Lumberyards, Industrial Sites, Rights-of-Way, or Similar Areas.

**ACTIVE INGREDIENTS:**

Prometon: 2,4-bis (isopropylamino)-6-methoxy-s-triazine\* ..... 1.5%

**INERT INGREDIENTS:** ..... 4.5%

Petroleum distillate ..... 94.0%

Total ..... 100.0%

\*Pramitol<sup>R</sup> trademark of CIBA GEIGY Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS \_

Manufactured by  
IMPERIAL INC.  
SHENANDOAH, IA 51601

Not Reviewed. Registrant claims to be in accordance with  
Registration of Pesticide Products & Mixtures for Phase 2  
Reg. under, Page 2-12, Appendix B, Part (C) of the Act.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed. Avoid contact with eyes and skin. In case of skin contact, wash with soap and water. Avoid inhalation of spray mist. Avoid contamination of food and feed.

**ENVIRONMENTAL HAZARDS**

Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water used for irrigation or domestic purposes.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill or store near heat or open flame.

**IMPORTANT:** Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**STORAGE:** Store in original container, in a cool, dry, secure area away from fertilizer, food, or feed. Keep container closed. Store at temperatures above 32°F.

**PRODUCT DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse container. Wrap container and put in trash.

Uniformly spray 1 gallon per 333 sq. ft. of soil surface or a strip 4 inches wide, 1,000 feet long, undiluted. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1 gallon per 200 sq. ft., a strip 4 inches by 600 feet long. For control of hard-to-kill perennial weeds and grasses such as Johnsongrass, bindweed and wild carrot, use 1 gallon per 83 sq. ft. Although VEGETATION KILLER has considerable activity through foliar contact, much of its activity is through the roots and therefore adequate rainfall to move the chemical into the root zone is necessary.

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free soil surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees, or woody ornamental plants. Only apply herbicide outside the drip line of trees.

**NOTICE**

Since weather and other conditions under which this product may be used will vary, the seller makes no warranty of any kind, express or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with directions or suggestions.