DIRECTIONS FOR USE

Distribute Ronnel Granules with a mechanical spreader, scoop, or can. Avoid contact with bare hands.

Control of Hog Lice: Apply granules evenly over the bedding for swine at the rate of $\frac{1}{2}$ pound per 100 square feet (an area 10 ft. by 10 ft.). No mixing with bedding is necessary. One treatment will control hog lice infestation when animals use the bedding regularly. Re-treat if infestation reoccurs.

Control of Chicken Body Lice: Scatter granules evenly over the litter at the rate of 1 pound per 100 sq. feet (an area 10 ft. by 10 ft.) Granules may be used in broiler, layer, and replacement pullet houses Re-treat if infestation reoccurs.

Control of Housefly Maggots (larvae): Caged-Layer Poultry Houses: Apply granules at the rate of 1 pound per 100 sq. feet (an area 10 ft. by 10 ft.). Apply evenly over manure piles, under layer cages, and over the floor area where flies breed. Re-treat as needed.

CAUTION

Harmful if swallowed. Avoid skin contact. Avoid contamination of food and feedstuff. Keep out of lakes, streams and ponds. Wash thoroughly with soap and water after handling. In case of eye contact, flush eyes with plenty of water. Get medical attention if irritation develops.

Note to Physician and Veterinarian: This material is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

ENVIRONMENTAL CAUTIONS


This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.


Do not reuse container. Dispose of by burning or burying in non-croplands away from water supplies. Stay out of smoke or fumes.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 407-373 EPA Est. 407-IA-1 N-3387B-I





RONNEL GRANULES

CONTAINS KORLAN*

Controls Hog Lice on Swine — Including Newborn
Controls Housefly Maggots
Controls Chicken Body Lice on Poultry

ACTIVE INGREDIENT:

Ronnel (O,O-Dimethyl O-(2,4,5-trichlorophenyl)
phosphorothicate+)

INERT INGREDIENTS:

95.0%

*Korlan, registered trademark Dow Chemical Co. +Not suitable for internal use in animals.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN
See Other Precautions on the Side Panel

NET CONTENTS

Manufactured By

SHENANDOAH, IOWA 51601