

Front Panel

IMPERIAL

Ready to Use
1% VAPONA

For the control of horn flies, face flies, stable flies, house flies, gnats and mosquitoes.

ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate	0.93%
Related Compounds*	0.07%

INERT INGREDIENTS:

Deodorized Kerosene	49.50%
Mineral Seal Oil	49.50%
Total	100.00%

*Equivalent to 1% Vapona Insecticide
Vapona is a registered trademark of Shell Chemical Co.

KEEP OUT OF REACH OF CHILDREN


CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS _

Manufactured by
IMPERIAL INC.
SHENANDOAH, IA 51601

(Not Reviewed. Registrant claims to be in accordance with
Federal Insecticide, Fungicide, and Rodenticide Act for Phase 2
Registration. Product is currently in Pre-Registration Status.



Left Side Panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist. In case of contact with skin or eyes, flush with water; for eyes, get medical attention if irritation persists. Wash with soap and water after using. If swallowed, call a physician immediately. Atropine is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL (12 pt. type)

STORAGE: Store in a secure area, in original container only, away from fertilizers, food or feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage or disposal.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

This product is formulated ready-to-use in conventional hand, power, or automatic spray equipment, electrical fogging or misting equipment.

CATTLE

Dairy and Beef

To control flies (horn flies, face flies, stable flies, house flies) and mosquitoes, apply two fluid ounces per animal daily as a fine mist. cover all parts thoroughly, paying particular attention to the legs; but do not wet the skin. Do not apply in excess of two fluid ounces per day. Do not apply regularly to calves under six months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates. Do not use within one day of slaughter.

GOATS, SHEEP AND SWINE

To control flies (horn flies, face flies, stable flies, house flies) and mosquitoes, apply one fluid ounce daily per animal as a fine mist. cover all parts thoroughly, paying particular attention to the legs; but do not wet the skin. Do not apply in excess of one fluid ounce per day. Do not apply within one day of slaughter.

ANIMAL SHEDS

Barns, Dairy Barns, Milkrooms, Milk Sheds,
Pig Parlors and Confinement Units, and Stables

To control flies (horn flies, face flies, stable flies, house flies), gnats and mosquitoes, apply as a fog or mist inside structure at the rate of one pint per 8,000 cubic feet (40 X 20 X 10). Before applying, reduce air movement as much as possible. Do not apply in buildings with or without animals being present if animals have been or will be treated with Vapona as a direct application within 8 hours. Do not contaminate feed, drinking water, milk or milking equipment.

NOTICE

Seller makes no warranty of merchantability, fitness for any purpose, or otherwise, express or implied concerning this product or its use which extend beyond the use of the product under normal conditions in accordance with statements made on this label.

EPA Reg. No. 407-384
EPA Est. 407-IA-1

B-75-84-1

