

10-23-82  
Imperial 2%  
Malathion Grain Protector  
Page 1  
Front Panel

IMPERIAL

2% MALATHION GRAIN PROTECTOR

for use on stored grains

Protects against damage from Confused Flour Beetle, Rice Weevil,  
Granary Weevil, Saw-toothed Grain Beetle, Flat Grain Beetle, Red  
Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer and Indian  
Meal Moth

ACTIVE INGREDIENTS:

Malathion (0,0-dimethyl dithionophosphate of diethyl mercaptosuccinate).....	2.00%
INERT INGREDIENT(wheat flour).....	98.00%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements

ACCEPTED

MANUFACTURED BY:

IMPERIAL INC.

SHENANDOAH, IOWA 51601

EPA REG. NO. 407-  
Est. No. 407-1A-1

NET CONTENTS \_\_\_\_\_

407-411

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid prolonged breathing of dust. Avoid contact with the skin; wash thoroughly after using. Keep out of reach of children. Store away from feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative agricultural extension service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

Grain Coating - A powdered insecticide for use on stored grains; Wheat, corn, oats, rice, rye, barley, grain sorghum, field and garden seeds.

Protects against damage from Confused Flour Beetle, Rice Weevil, Granary Weevil, Saw-toothed Grain Beetle, Flat Grain Beetle, Red Flour Beetle, Rusty Grain Beetle, Lesser Grain Borer, Indian Meal Moth.

IMPORTANT - Use of this product as directed below will be within 8 parts per million for Malathion. Treated grain is not subject to downgrading and can be milled into flour or feed using normal production methods.

Apply to grain at the rate of 30 pounds per 1,000 bushels as the grain is being loaded or turned into final storage. Field and garden seeds can be protected against grain pests with a dosage of 30 pounds per 1000 bushels of seed. To protect stored grains from attack by Indian Meal Moth, apply to the surface of clean infested grain at the rate of 15 pounds per 1000 square feet of grain surface area. Apply the dust evenly over the surface of the grain. Apply in-

mediately after grain is loaded into storage and repeat if necessary.

HOW TO APPLY TO SHELLED CORN  
AND SMALL GRAINS

Apply when grain is in the truck or wagon prior to binning. To determine the amount in the truck or wagon, multiply the length by width by depth (all in feet) and multiply this total by 0.8 to get the number of bushels. Measure out the correct amount (30 lbs. per 1000 bu.) and spread evenly over the surface of the grain in the truck or wagon. Cut into the grain with a shovel. Coating will become mixed with grain as it is dumped from the truck or wagon into the hopper. Further mixing will occur when the grain is augered or blown into the bin. Mixing is completed as the coating and grain roll down the cone shaped pile in the bin.

Measure out the correct amount of 2% Malathion Grain Protector  
(30 pounds per 1,000 bushels)  
1 bag protects 1667 bushels of grain  
1 gallon carton will hold 5 pounds  
3 pound coffee can will hold 3½ pounds

NOTICE

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION <i>(Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)</i></p>	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)		
<p>16/1 8/6 828 183</p>		
<p><b>NOTE</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL		DATE