

[410-47]

ACCEPTED

SEP 26 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 410-47

FRANKLIN LIVESTOCK INSECTICIDE SPRAY provides quick kill and repellent activity against those insects named on this label with



*Registered Trademark McLaughlin, Gromley, King & Co.

CONTAINS:

Active Ingredients:

- Pyrethrins 0.15%
- Piperonyl Butoxide Technical* 0.30%
- N-octyl Bicycloheptene Dicarboximide** 0.50%
- Di-n-Propyl isocinchomeronate*** 1.20%
- Petroleum Distillate 27.85%

Inert Ingredients 70.00%

*Consists of .24% (butylcarbityl) (6-propylpiperonyl) ether and .06% other related compounds.

**MKG 264 Insecticide Synergist, U. S. Patent No. 2,476,512.

***MKG Repellent 326, U. S. Patent No. 2,787,120.

EPA EST. 33595-MO-1
EPA REG. NO. 410-47-AA

72025

C3851

LIVESTOCK INSECTICIDE SPRAY



FRANKLIN

FOR USE ON

DAIRY COWS, HORSES
BEEF CATTLE AND DOGS

KILLS — REPELS

- Stable flies
- Horse flies
- Horn flies
- Deer flies
- Mosquitos
- Gnats

CAUTION: KEEP OUT OF REACH OF CHILDREN

See side panel for additional cautions.

NET WEIGHT: 1 POUND

Sufficient to treat approximately 100 animals

DIRECTIONS FOR USE
Shake Well Before Using

FOR USE ON ANIMALS—Hold can 18 to 24 inches from animal. Apply in sweeping motion from front of animal to rear, including legs. Apply to give a light deposit on the hair; avoid wetting hair. Use daily or as necessary to obtain desired control.

For shy animals, spray insecticide on a wiping cloth and rub lightly on hair.

For Face Flies, spray animal's head and neck, using only enough spray to slightly dampen the hair. Spray in the morning, preferably. Repeat daily, or as needed.

FOR USE IN BARN AND STABLES—Close all windows and doors. Fill the room with mist. Keep windows and doors closed for about 15 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed.

CAUTION: Harmful if swallowed. Do Not apply enough to wet animal to the skin. Do not contaminate milk or milk handling equipment with the spray. Wash teats of dairy animals before milking.

Apply this product only as specified on this label.

WARNING: Flammable Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

Prepared for
FRANKLIN LABORATORIES
DENVER, COLORADO 80222, U.S.A