

C3162



KILZOL DISINFECTANT

Virucidal* and Bactericidal
FOR FARM AND RANCH SANITATION

Active Ingredients:

Cresylic acid 15.0%; Coconut fatty acid soap 8.9%;
Isopropanol 8.0%; Sodium dodecylbenzene sulfonate
2.55%; 4 and 6-chloro-2-phenylphenol 2.0%; o-benzyl-
p-chlorophenol 1.5%; Tributyltin neodecanoate 0.25%;
para-tertiary amylphenol 0.1%; 2,2'-Methylene bis
(3,4,6-trichlorophenol) 0.05%.

Total Active Ingredients 38.35%
Inert Ingredients 61.65%

See Side Panel for Additional Warning

WARNING: KEEP OUT OF REACH OF CHILDREN

NET CONTENT: 32 FL. OZ. (ONE QUART)

EPA Registration No. 41072-AA

71132 *See specific viruses listed on back panel.

Prepared by
FRANKLIN LABORATORIES, INC.
DENVER, COLORADO 80222, U.S.A.

EL-01b

For disinfection of syringes, needles, surgical instruments and for farm buildings and equipment, follow directions on back panel.

Kilzol Disinfectant is both a powerful disinfectant and detergent. It destroys many of the bacteria and viruses involved in livestock disease on environmental surfaces. It is useful in disinfection of farm and ranch premises which have become contaminated with these disease producing germs. Kilzol Disinfectant is an effective environmental surface virucide against infectious bovine rhinotracheitis (IBR), Bovine viral diarrhea (BVD), Parainfluenza-3 (PI-3), Fowl pox, Infectious bronchitis, Laryngo-tracheitis disease, and Newcastle viruses. It is an effective agent, in vitro, against avian leukosis (Acute Marek's Disease) when in contact for 15 minutes at the recommended use dilution. (The role of the environment in the transmission of this disease in poultry flocks has not been conclusively established.) Kilzol Disinfectant also deodorizes by killing most micro-organisms that cause offensive odors. It is a strong solution and must be diluted according to directions before use.

DISINFECTION OF BUILDINGS: Remove all livestock from building. Remove all feeding and watering equipment, or empty such equipment, and protect it by covering. If feeding and watering equipment is to be treated, it must be thoroughly scrubbed with detergents and rinsed with potable water before reuse. Remove litter or bedding and clean building thoroughly. Spray or scrub walls, ceilings, and floors liberally with a 1 to 100 dilution (2 Qts. Kilzol Disinfectant to 50 gals. water). For disinfection of animal restraining equipment such as halters and ropes and for forks, shovels, and scrapers, immerse in this solution. For cleaning and disinfecting surfaces, dilute 2 ozs. Kilzol Disinfectant in 1 gallon water. After use, ventilate building. Do not house live stock or use equipment until the solution has been absorbed, set, or dried. Do not use in milking stalls, milking parlors, or milk houses.

DISINFECTION OF INSTRUMENTS AND VACCINATION NEEDLES: Clean instruments, removing all dried blood and other accumulations. Place clean instruments or needles in the disinfectant solution (2 ozs. Kilzol Disinfectant in 1 gallon water) for 20 to 30 minutes. Before use, rinse in boiling water that has been boiled a minimum of 20 minutes. Immediately after use, rinse instruments or needles in clean water to remove any blood or debris before storing or returning to the disinfectant solution. Instruments and needles should be dried on a clean towel before storage.

WARNING: May be fatal if swallowed or absorbed through skin; may produce burns and damage to the eyes. Do not get in eyes, on skin, or on clothing. Avoid breathing spray mist. Avoid contact with food or food products. Wash thoroughly after handling.

First Aid: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water.
Avoid alcohol. Call a physician immediately.
Use rubber gloves when scrubbing by hand.
Rinse empty container thoroughly with water and discard it.
Do not use near open flame.

