DIRECTIONS FOR USE

Shake Who be the first

Remove safety cap hold can also 1.4 to 6 in his from area to be treated, with nozzle pointed at wo in 1. Spray the area cut of is completely wet three to ten seconds are is all enough

SCREWWORM and BLOWFLY infestations: Use particular care to spray into deep pockets caused by screwworms. Repeat treatment at 5 to 7-day intervals until wound is healed. To prevent Screwworm and Blowfly infestations: Apply directly to all open or fresh wounds such as from dehorning, castration, shear cuts, etc. Treat navels of newborn animals. Freely bleeding wounds may require several treatments. Re-treat as needed until wounds heal.

EAR TICK control: Spray directly into animal's ear. Reneat treat ment every 3 days until ear ticks are controlled

FLEECEWORM infestations: Spray infested area liberally, working toward the center of the infestation. Shearing or removing the wool from the infested area is not necessary. Re-treat every 3 days until infestation is controlled.

CAUTION: INJURIOUS TO EYES. Harmful if swallowed. Do not get in eyes. Avoid breathing spray mists. Avoid contact with skin. Wash hands thoroughly after using. Avoid contamination or food and feedstuffs. Keep out of reach of children.

In case of human eye contact: Flush eyes immediately with plenty of water and get prompt medical attention.

Ronnel is a cholinesterase inhibitor. Do not use this product on any animals simultaneously or within a few days before or after treatment with, or exposure to, cholinesterase-inhibiting drugs, pesticides, or chemicals. Atropine is antidotal; consult a veterinarian at first sign of adverse reaction.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do Not incinerate. Discard container when empty.

FOR EXTERNAL USE ONLY. NOT FOR HUMAN USE.

EPA EST. 33595-MO-1

* KORLAN, Reg. Trademark, Dow Chemical Company

** Prepared from technical grade

72136



- SCREWWORMS
- EAR TICKS
- FLEECE WORMS
- BLOWFLY MAGGGTS

For Cattle, Sheep, Swine and Horses Blue Color Added

CAUTION: N.

See side panel for additional cautions.

ACTIVE INGREDIENTS: Ronnel (O, O-Dimethy) O-[2,4,5-trichlorophenyl] phosphorothioate) **, 2.5%; Xylene, 15.5%.

INERT INGREDIENTS: 82.0%.

NET WEIGHT: 1 POUND (16 oz.)

EPA Reg. Nc. 410-79-AA

Prepared by FRANKLIN LABORATORIES INC. DENVER, COLORADO 80222, U.S.A.