

Directions: Hold Flair container about 12 inches from animal and direct spray over entire body until hair is damp. For dogs and cats, apply spray 4 to 6 seconds for each 5 lbs. of body weight. Rub hand against hair to allow penetration of mist. To kill ticks on long-haired dogs, lay back the hair and spray Flair directly on the ticks. Repeat treatment not more than once weekly. To prevent reinfestation, spray sleeping quarters and bedding thoroughly.

272720

Contents
12 Oz (Avd)

Flair™

insecticide/repellent
for fleas, ticks and lice on dogs and cats

TM

Active Ingredients:
 Pyrethrin
 Piperonyl butoxide (technical)
 Malathion
 Carbaryl (12 and 14% formulations)
 Butyltin diisobutyrate
 2-Methyl-2-butene-1-thiol
 1,1-Dichloroethane
 Petroleum distillates
 Inert ingredients

Total Ingredients:
 100%

Net Weight: 12 Oz (340g)

Net Content: 12 Oz (340g)

For Use On: Dogs and cats

For Use In: All areas

For Use On: Fleas, ticks and lice

For Use In: All areas

For Use On: Dogs and cats

For Use In: All areas




CAUTION: Keep out of the reach of children.

See label paper for additional precautions. EPA Reg. No. 411-60-2A

CAUTION: Wash hands thoroughly after using. Harmful if swallowed or inhaled. Avoid breathing of spray mist and prolonged repeated contact with skin. Avoid contamination of food.

Avoid spraying on animals' sores.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to fire may cause explosion. If fire occurs, throw container away from operator.



Manufactured for
Jensen-Salsbery Laboratories
 Division of Phoenix Chemicals
 Kansas City, Mo. 64114

Trade Name: Flair
 *SEVIN® is a registered trademark of Union Carbide Corporation for the active ingredient carbaryl.
 **Stalene® is a registered trademark of Union Carbide Corporation.
 ***MGW® is a registered trademark of Union Carbide Corporation.

For Veterinarian Use Only