

ELEVATOR STORAGE:

For elevator storage, the recommended dosage is 1.0 gallon per 1,000 bushels of grain per month. For storage in wooden cribbed bins, the recommended dosage is 1.0 gallon per 1,000 bushels of grain per month. For storage in steel and concrete bins, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month. For storage in bulk certified or hybrid seed grain, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month.

BOX CARS:

For box cars, the recommended dosage is 1.0 gallon per 1,000 bushels of grain per month. For storage in wooden cribbed bins, the recommended dosage is 1.0 gallon per 1,000 bushels of grain per month. For storage in steel and concrete bins, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month. For storage in bulk certified or hybrid seed grain, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month.

BULK CERTIFIED OR HYBRID SEED GRAIN:

For bulk certified or hybrid seed grain, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month. For storage in wooden cribbed bins, the recommended dosage is 1.0 gallon per 1,000 bushels of grain per month. For storage in steel and concrete bins, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month. For storage in bulk certified or hybrid seed grain, the recommended dosage is 0.5 gallons per 1,000 bushels of grain per month.

RECOMMENDED DOSAGES

Grain Temperature at 60°F or higher	Wheat, Rye, Barley	Corn, Oats	Grain Substances
Types of Storage	gallons per 1,000 Bushels		
Flat Storage			
Wooden Bins	4	6	8
Steel & Concrete Bins	3	5	7
Elevator Storage			
Wooden Cribbed Bins	3	6	8
Steel & Concrete Bins	2	1	4
	gallons Per Box Car		
Box Cars - Elevator			1.5
Box Cars - Terminal			1.5

*NOTE

For more information, contact your local agricultural agent or the manufacturer.

GRANULES BRAND

Grain Fumigant

with Ethylene Dibromide Added

HIGH ABSORPTION VALUE GIVES LONGER POST FUMIGANT PROTECTION

KILLS GRAIN PESTS

Bean Weevil, Granary Weevil, Rice Weevil, Lesser Grain Borer, Confused Flour Beetle, Angoumois Grain Moth Larva, Indian Meal Moth Larva, Mediterranean Flour Moth Larva, Cadelle, Black Carpet Beetle, Sawtooth Grain Beetle.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

See other precautions on side panels.

See Antidote Right Panel


Grain Fumigant
Ethylene Dibromide
Methidathion
Methidathion
Methidathion
Methidathion

EPA REG. NO. 413-51

EPA EST. NO. 32761 MO 1D



NOTE:



NOTICE