

Net Contents 1 Gal.

GAR-BE-CIDE

SPECIAL

MILL SPRAY

ACTIVE INGREDIENTS:

Pyrethrins.....	.20%
*Technical Piperonyl Butoxide.....	.48%
Carbon Tetrachloride.....	2.90%
Petroleum Distillate.....	73.00%
	<hr/>
	100.00%

*(Equivalent to 0.38% of butyl-carbitol(6-propyl-piperonyl)ether and 0.10% of related compounds)

Prepared especially for Wholesale Grocers, Flour Millers, Rice Millers, Warehouses, and all other food and feed storage places infested with granary weevils, rice weevils, confused flour beetles, cadelles, angoumois grain beetles, Mediterranean flour moths, meal worms, cheese skippers and mites, grain mites, and many other insects. This treatment controls only the accessible stages of the insects named.

CAUTION: Harmful vapor. Harmful if swallowed. Avoid prolonged breathing of vapor. Avoid prolonged contact with skin.

DIRECTIONS

Spray walls and floors thoroughly, paying special attention to cracks and corners. Spray well and evenly all above and around the flour ~~etc. and in the cracks and corners~~, also down between the stacks of grain, flour, or foods. During warm temperatures, warehouses should be well sprayed no less often than every two days; in cooler weather, spray at least once a week. If it is noticed that the insects are not kept under control after spraying as above directed, spray oftener, or use more of the spray at the time. GAR-BE-CIDE SPRAY SHOULD BE USED THROUGHOUT THE YEAR. ~~Mills, warehouses, and other storage places should be sprayed at intervals of 10 to 15 days, and should be used on floors, walls, and in cracks and corners.~~

**WILL NOT INJURE FLOUR OR SIMILAR FOOD STUFFS
WHEN USED AS DIRECTED**

MANUFACTURED ONLY BY
QUINN DRUG & CHEMICAL CO.
Manufacturing Chemists
GREENWOOD, MISS.