

#### DOUBLE HEADER

Active Ingredients	
Pyrethrins	0.016%
Piperonyl Butoxide, Technical*	0.038%
*Equivalent to .030% of (butylcarbityl)	
(6-propylpiperonyl) ether and .008%	
of related compounds	
Beta-butoxy beta'-thiocyano diethy! ether	1.000%
Methoxychlor, Technical*	1.000%
*Equivalent to .88% of 2,2-bis	
(paramethoxyphenyl)-1,1,1-trichloroethane	
and .12% of other isomers and related	
compounds	
Petroleum distillate	97.946%

100.000%

#### DIRECTIONS FOR USE:

Kills-flies, mosquitoes, gnats, flying moths, roaches, ants, and fleas in homes and buildings.

Quinn's Double Header Insect Spray kills two ways: (1) contains Methoxychlor which controls the insects for which it is recommended for several weeks through the residual effect. (2) Contains quick knockdown and kill ingredients which kill these insects quickly on contact.

Directions for use as a residual spray: For best results for the residual control of roaches, ants, and fleas, thoroughly wet all areas where these insects alight or crawl. In addition, for control of fleas, thoroughly spray animal pet sleeping quarters, floors and their coverings, and for control of ants, thoroughly spray any trails and areas around door sills and window frames where these pests enter the premises. Repeat applications as necessary.


Directions for use as a general contact spray: Where quick knockdown and kill is desired to control flies, mosquitoes, gnats and flying moths, use as any other fly and mosquito spray. Close windows and doors and spray thoroughly all parts of room and leave room closed 15 minutes. Sweep up dead insects. Repeat when necessar,.

CAUTION: Keep away from open flames and garden plants. Keep out of reach of children. This solution, if brought into contact with the skin can cause toxic symptoms. Avoid inhalation and skin contact. In case of spillage on the skin, wash with soap and water. Avoid contamination of foodstuffs. Do not use on household pets or humans. Harmful if swallowed. Do not reuse container. Destroy when empty. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds, and fish bowls from room before spraying. EPA Reg. No. 416-59

STAIN **NO** MIL

EP UNITE STA





# DOUBLE ACTION

# **KILLS 2 WAYS**

KILLS FLIES, MOSQUITGES, GNATS, FLYING MOTHS, ROACHES, ANTS AND FLEAS

CAUTION: KEEP OUT OF REACH OF CHILDREN. See back panel for additional cautions.

MANUFACTURE P BY UUINN DRUG & CHEMICAL CO. • GREENWOOD, MISS 3330

### NET CONTENTS ONE PINT