이 [] 이 남 이 KEEP OUT OF REACH OF CHILDREN DANGER: CENOL Carefully read precautions on back of can. A DRUG FOR GROUND SQUIRRELS Scatter teaspoonful of bait around the entrance of each Ground Squirrel Hole. This should be done in the early morning. The next morning go over the same ground, closing all holes. If any holes should be opened repeat the operation again. FOR POCKET GOPHERS **POISONED WHEAT** (Pouched Rat) The soil plugging the opening to the Gopher Tunnel should be carefully removed with the use FOR CONTROL OF of a long handled spoon. 1/2 teaspoon of bait should then be inserted and placed as far down as possible. The hole should be re-closed and **GROUND SQUIRRELS** care taken to avoid covering bait with soil. PROBING-Probe 6-12 inches deep to locate the main tunnel. Drop the bait into the tunnel and re-cover the hole so that light will not enter GOPHERS the tunnel system. 12 OZS. 12 OZS. NET WGT. NET WGT. HOUSE MICE AND MICE Mouse control in and around buildings-place teaspoon quantities of bait at 8 to 10 foot intervals where mice feed, water and/or travel. Remove all other food sources. Collect and burn or bury all uneaten baits after 72 hours. Do not treat the same area with strychnine in less than 60 day intervals. **OTHER GUARANTEED CENOL PRODUCTS** \mathbf{C} Cenol Prolin for rats and mice. Cenol Stock Spray. Fly Killer and Repellent. Cenol Garden Dust, contains rotenone ---the well known insecticide for field and garden 'se. Active Ingredient Strychnine Alkaloid **0.30%** 99.70% Inactive Ingredients E.P.A. REG. NO. 419-6 100.00% CENOL COMPANY . CHICAGO, ILL.



1

DANGER---CONVULSIVE POISON

Do not leave this wheat where it might be mistaken for good grain. Do not contaminate Feed or Foodstuffs. Keep away from children, foodstuffs, domestic pets, game, birds, etc.

POISON

CONTAINS STRYCHNINE



POISONOUS IF SWALLOWED WASH HANDS AFTER USING

ANTIDOTE --- Call a physician immediately. If time following ingestion has not exceeded 10 minutes, give an emetic of 1 tablespoonful of salt or mustard in a glass of warm water. Have patient lie down and keep warm. Genol Poisoned Wheat should not be used before rains or during wet weather. Water removes some of the poisonous coating, so the preparation loses its effectiveness.

Do not breathe dust. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Baits should be placed in areas not accessible to children, pets, wildlife, and domestic animals or in tamper-proof bait boxes.



Treated seeds exposed on soil surface may be hazardous to birds and other wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Dispose of excess treated seeds or wastes by burial. Apply this product only as specified on this label.

(T) Reg. U.S. Pat. Office

