

Cenol

WARFARIN

WITH BAIT - READY FOR USE

KILLS RATS & MICE



CAUTION:

Keep out of reach of children.
Read Caution and Antidote Statement on Back Panel.

SUGGESTED USE:

Place 4 ounces or more of contents of this package in locations frequented by rats and mice and protect from children, dogs, cats and livestock by means of bait boxes or cages where necessary. CENOL WARFARIN should be replenished as consumed. Use no decomposed, moldy or sour bait.

Where a continuous source of infestation prevails from nearby dumps or fields, permanent bait stations should be used and CENOL WARFARIN replenished as needed. THIS CONTAINER MAY BE USED AS A BAIT STATION. Use key to remove top and place container on its side in location frequented by rats and mice. Protect as suggested in above paragraph.

IMPORTANT NOTICE

CONTAINS 4 OUNCES OF CENOL WARFARIN BAIT

NET WEIGHT 4 OUNCES (113.4 GRAMS)

U.S. PATENT OFFICE

Be sure that sufficient CENOL WARFARIN is at hand to complete a continuous 14-day feeding program. If CENOL WARFARIN is exhausted before rats or mice have been completely eliminated, it is important to obtain additional CENOL WARFARIN promptly and avoid a delay of more than 1 or 2 days in the feeding program. Continuous, uninterrupted feeding is what gives you control.

MICE: To control mice follow same general directions as for rats except place tablespoon amounts at 8-12 foot intervals. Mice are more difficult to control than rats. An uninterrupted supply of bait should be maintained for at least 15 days.

CAUTION: CENOL WARFARIN contains as its active ingredient an anti-coagulant chemical which if taken accidentally by humans, domestic animals, or pets may reduce the clotting ability of the blood and serious hemorrhage may result. In case baits are accidentally eaten, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Call a physician immediately.

NOTE FOR PHYSICIANS: When a human has been known to have accidentally ingested CENOL WARFARIN, blood transfusions combined with intravenous injections and oral doses of Vitamin K are indicated as in the case of hemorrhage caused by overdoses of Dicumarol.

CAUTION: Always place WARFARIN baits where they are not available to humans, domestic animals and pets.

U.S.D.A. REG. #419-62

Genol

WARFARIN

KILLS RATS & MICE

ACTIVE INGREDIENTS:

Warfarin

3-(alpha-acetonylbenzyl)

4-(hydroxycoumarin)

INERT INGREDIENTS

0.025%
99.975%



CAUTION

Keep out of reach of children.

ACCEPTED

Jan 22, 1968

BY THE FEDERAL PESTICIDE
REGULATORY AND REFINEMENT ACT
FOR CHEMICAL PESTICIDE REGISTER-
ED UNDER NO. 499-16.2 SUBJECT
TO ATTACHED COMMENTS.

Read and follow the directions on the contents of this package carefully. The content of this package is sufficient for the control of rats and mice by the use of the bait stations where necessary. ENOL WARFARIN is a rodenticide and insecticide.

When an infestation of rats or mice is present from nearby dumps or other permanent structures, bait stations should be used and ENOL WARFARIN only used as bait. THIS CONTAINER MAY BE USED AS A BAIT STATION. To use, remove plant pieces, place container in its site and bait for control by rats or mice. Proceed as suggested in attached pamphlet.

Be sure that's Mammals ENOL WARFARIN is a rodenticide and insecticide. It is a 14 day feeding program. If ENOL WARFARIN is not used for the 14 days of the feeding program, it may be necessary to use additional ENOL WARFARIN. It may be necessary to use more than 1 of the 14 day feeding program. It is a 14 day feeding program. What RATS and MICE.

MICE: This product is effective against most species of mice, except white footed mice. It is not effective against house mice. It is not effective against mice. It is not effective against mice. It is not effective against mice.

CAUTION: ENOL WARFARIN is a rodenticide and insecticide. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program.

NOTE FOR PHYSICIANS: Warfarin is a rodenticide and insecticide. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program. It is a 14 day feeding program.

CAUTION: Always use WARFARIN in accordance with the directions on the label.