

Roach Guard

Directions For Use

Shake Before Using

To Spray: Remove cap - press button. Hold container upright six to ten inches from area to be sprayed, covering one to two feet per second leaving surface wet. For Household Use.

Indoor Use: **ANTS, COCKROACHES, CRICKETS, SILVERFISH, SCORPIONS, SAWTOOTHED GRAIN BEETLES (EXPOSED STOCK), WHITEFLIES:** Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Outdoor Use: **ANTS, CLOVER MITES, CRICKETS, HAWTHORN, YLEAS, KILLIFLIES, SCORPIONS, AND BROWN DOG TICKS:** Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

Active Ingredients:	
Pyrethrin	.050%
*Piperonyl butoxide, technical	.100%
† N-octyl bicycloheptene dicarboximide	.166%
** p-isopropoxyphenyl methylcarbamate	84.700%
Petroleum distillate	14.484%

Inert Ingredients:

- *Consists of .08% (butylcarbityl) (6-propylpiperonyl) ether and .02% related compounds.
- † EPA 264 Insecticide Synergist.
- **Baygon, U.S. Patent No. 3,111,939.

CAUTION

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils, and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical aid.

To Physician - Atropine sulfate is antidotal.

FLAMMABLE. Do not spray into or near open flame. Do not smoke while using.

CONTENTS UNDER PRESSURE. Keep container away from stoves, radiators, or other hot surfaces. Temperatures exceeding 120°F. may cause the container to burst. Do not puncture or incinerate.

Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor covering.

Manufactured for
CENOL COMPANY, INC.
Chicago, Illinois 60651

U.S.G.A. Reg. No. 419 - X