



CAUTION:

Keep out of reach of children.
Read caution on back panel.

TO CONTROL
DISEASES AND
CERTAIN INSECTS ON
ROSES AND ORNAMENTALS

U.S.D.A. Reg. No. 419-165

INSECTICIDE - FUNGICIDE - MITICIDE

Net Weight 1 Lb.

DIRECTIONS

This combination Insecticide-Fungicide-Miticide may be applied to moist or dry foliage anytime when dusting conditions are favorable. Applications may be made when plants are small. Dusting should be made at regular weekly intervals or oftener, if necessary for adequate pest control. Foliage should be thoroughly covered with a light dust opposit. Usy this combination dust on Roses—for the control of black spot,

Use this combination dust on Roses—for the control of black spot, powdery mildew, aphids, red spider mites and rose aphid.
Use on African Violets, Begonia, Calendula, Chrysanthemum, Dahlia, Delphinium, Euonymus, Hydrangea, Snapdragons—for control of powdery mildew, leaf spots, aphids, thrips, mites, leafhoppers, mealybug, and fose aphid.

ACTIVE INGREDIENTS:

/ 1/41116 · 1/41/60/61/14.	
Zineb (zinc ethylene bisdithiocarbamate)	3.9%
Zineb (zinc ethylene bisdithiocarbamate)	0.9%
other nitrophenols and derivative, chiefly	
1-methytheptyl-4, 6-dinitrophenol	0.1%
1, 1-Bis (p-chlorophenyl)-2, 2, 2-trichloroethanol**	1.5%
Carbaryl (1-naphthyl N-methylcarbamate)***	5.0%
INERT INGREDIENTS:	88.6%
	100.0%

* Karathane

** Kelthane

*** Sevin, Reg. TM. of Union Carbide Corp. for active ingredient carbaryl. Do not use this formulation on Boston Ivy or Eggplant.

BEE CAUTION — MAY KILL HONEYBEES IN SUBSTANTIAL NUMBERS. This product is Highly Toxic to Bees Exposed to Direct Treatment or Residues on Crops. Protective information May Be Obtained from Your Cooperative Agricultural Extension Service.

Do Not Use When Value of Bees as Pollinators is more important than Insect Control. Before Applying, Warn Beekeepers to Locate Hives Beyond Be Flight Range Until 1 Week After Application or to Take Other Equally Effective Precautions.

CAUTION: Avoid inhalation of dust. Harmful if swallowed. Avoid contact with skin and eyes. May cause irritation or sensitization of skin. Do not take internally. Wash thoroughly after use. Do not contaminate foodstuffs and feed. Store in cool dry place. Keep containers closed when not in use. Keep out of reach of children. Do not re-use container. Destroy when empty.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

MANUFACTURED BY

CENOL COMPANY · CHICAGO, ILL.





CAUTION:

Reep out of reach of children. Read cautin on back canel.

TO CONTROL
DISEASES AND
CERTAIN INSECTS ON
ROSES AND ORNAMENTALS

USDA Reg No 419 163

INSECTICIDE - FUNGICIDE - MITICIDE

Net Weight 1 Lb.

DIRECTIONS

This combination insecticide-Fungicide-Miticide may be applied to moist or dry foliage anytime when dusting conditions are favorable. Applications may be made when plants are small. Dusting should be made at regular weekly intervals or oftener, if necessary for adequate pest control. Foliage should be thoroughly covered with a light dust deposit. Usy this combination dust on Roses, for the control of black spot,

powdery mildew, aphids, red spider mites and rose aphid.
Use on African Violets. Begonia, Calendula, Chrysanthemum, Dahlia, Delphinium, Euonymus, Hydrangea, Snapdragons—for control of powdery mildew, leaf spots, aphids, thrips, mites, leafhoppers, mealybug, and fose aphid.

ACTIVE INGREDIENTS:

Zineb (zinc ethylene bisdithiocarbamate)	3.9 €
2-(1-Methylheptýl)-4, 6-dinitrophenyl crotonate*	0.9%
other nitrophenois and derivative, chiefly	
1-methytheptyl-4. 6-dinitrophenol	0.1%
1. 1-Bis (p-chlorophenyl -2, 2, 2-trichloroethanol	1.5%
Carbaryl (1-naphthyl N methylcarbamate)***.	5.0°5
INERT INGREDIENTS:	88 6 1s
	100 0°c

- * Karathane
- ** Kelthane
- *** Sevin, Reg. TM. of Union Carbide Corp. for active ingredient carbary!.

 Do not use this formulation on Boston lvy or Eggplant.

BEE CAUTION — MAY KILL HONEYBEES IN SUBSTANTIAL NUMBERS. This product is Highly Toxic to Bees Exposed to Direct Treatment or Residues on Crops. Protective information May Be Obtained from Your Cooperative Agricultural Extension Service.

Do Not Use When Value of Bees as Pollinators is more important than Insect Control. Before Applying. Warn Beekeepers to Locate Hives Beyond Be Flight Range Until 1 Week After Application or to Take Other Equally Effective Precautions

CAUTION: Avoid inharchion of dust. Harmful if swallowed Avoid contact with skin and eyes. May cause irritation or sensitization of skin. Do not take internally Wash thoroughly after use. Do not contaminate loodstuffs and feed. Store in cool dry place. Keep containers closed when not in use. Keep out of reach of children. Do not re-use container. Destroy when empty.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

MANUFACTURED BY

CENOL COMPANY . CHICAGO, ILL.