

419-178

03/16/1984

1/5

300	118752	301	118753
38	4	17	4

MAR 16 1984

Acme Burgess, Inc.
 Chemical Division
 P.O. Box 177
 Route 45 & Peterson Rd.
 Libertyville, IL 60048

Attention: James Kocinski

Gentlemen.

Subject: Burgess Insect Fog Fogging Insecticide
 with Pyrethroid
 EPA Registration No. 419-178
 Your Letters of February 16, 1984

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Delete the portion of the precautionary statement that states "If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear."

In your July 24, 1980, application, you requested a change of product name to "Burgess Insect Fog Fogging Insecticide with Pyrethroid." This was accepted in our letter dated September 23, 1980. Your February 16, 1984, letters indicated you also want to use the names "Burgess F-100 Insect Fog Insecticide" and "Cenol Kill Quick." Use of these alternative brand names is acceptable.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

JHS

CONCURRENCES

MBOL ▶							
IRNAME ▶							
ATE ▶							

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

RD/IRB:DCR-31552:Gardner:tar:RD-43:3/12/84:Raven:557-2226:Del.3/27/84

90209

ACCEPTED


MAR 16 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. **419-178**

BEST DOCUMENT AVAILABLE

Burgess ^{T.M.} Insect Fog

Fogging Insecticide with Pyrethroid



ACTIVE INGREDIENTS:

* + Resmethrin ([5-phenylmethyl]-3-furanyl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.200% w/w
Related compounds	0.027%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	99.500%
INERT INGREDIENTS	0.008% 100.000%

*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.
 + U.S. Patent Nos. 3,456,007 and 3,542,928
 °SBP-1382* brand of resmethrin insecticide.
 Penick Corp., 1050 Wall Street
 West, Lyndhurst, N.J. 07071

E.P.A. REG. NO. 419-178
E.P.A. EST. NO. 419-1L-1

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
 HARMFUL IF SWALLOWED
 See directions and cautions on side panel

**NET CONTENTS
ONE QUART**

IDEAL FOR: ■ Patios ■ Pools ■ Yards ■ Picnic Areas ■ Campsites
■ Horse Stables Not for application if horses will be used for food

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin or clothing should be avoided.

Statement of Practical Treatment. IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless directed by a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Wash contaminated skin with soap and water.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Avoid contamination of feed and foodstuffs.
 Remove pets, birds, and cover fish aquariums before spraying.

**DO NOT ALLOW CHILDREN IN TREATED AREAS
UNTIL SURFACES ARE DRY.**

Environmental Hazards. This product is toxic to fish, birds and other wildlife. Do not apply to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Manufactured by
Acme Burgess, Inc. / Chemical Division
 Libertyville, Illinois 60048

Physical or Chemical Hazards. This formulation is combustible. Do Not Use or Store Near Heat or Open Flame. Do Not Store Below 32 Degrees F.

Disposal. Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

FOR OUTDOOR USE ONLY

For small area applications. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting of foliage. Apply undiluted at the rate of 11 oz. per 1000 sq. ft. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Order Code 89-1006-11

100

630143 Rev. D

UPC CODE # 0 34457 89053
 1 color 1/82 S/S 11

3/5

419-178

419-178

BurgessTM
Insect Fog
Fogging Insecticide
with Pyrethroid


BurgessTM **Insect Fog**
Fogging Insecticide with Pyrethroid

BurgessTM
Insect Fog
Fogging Insecticide
with Pyrethroid

Specially formulated for use in ALL electric, propane and gas powered thermo foggers.
Ideal for:

- PATIOS
- PICNIC AREAS
- POOL
- CAMPSITES
- YARDS
- HORSE STABLES

Not for application if horses will be used for food



Specially formulated for use in ALL electric, propane and gas powered thermo foggers.
Ideal for:

- PATIOS
- PICNIC AREAS
- POOL
- CAMPSITES
- YARDS
- HORSE STABLES

Not for application if horses will be used for food

High knock down and kill, low toxicity formula for control of annoying flying insects including flies, mosquitoes and gnats

For use in ALL propane, gas and electric foggers

100

Manufactured by
Acme Burgess, Inc. / Chemical Division
Libertyville, Illinois 60048

ACTIVE INGREDIENTS

** (resmethrin (5-phenylmethyl-3-furanyl) methyl 2,2-dimethyl-3-(12-methyl-1-propenyl) cyclopropanecarboxylate)	0.200%
Related compounds	0.027%
Aromatic petroleum hydrocarbons	0.265%
Petroleum distillate	99.508%
INERT INGREDIENTS	100.000%

*Cis/trans isomers ratio: max. 30% 1-145 and min. 70% 1-145
+ U.S. Patent Nos. 3,456,007 and 3,542,928
SIP-1362 brand of insecticide insecticide
Ponch Corp. 1050 Wall Street
West, 196th St., AL 07071

EPA EST. No. 419-1L-1
EPA REG. No. 419-178

100

Manufactured by
Acme Burgess, Inc. / Chemical Division
Libertyville, Illinois 60048

CAUTION: KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED
See directions and cautions on side panel

NET CONTENTS
ONE GALLON

CLUE FLAT

BEST DOCUMENT AVAILABLE



Burgess 2
Insect Fog 1-File 28
Revised 7-19-83

4/5

419-178

Burgess T.M. Insect Fog

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors of spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, sun or clothing should be avoided.

Statement of Practical Treatment. IF SWALLOWED: Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Wash contaminated skin with soap and water.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Avoid contamination of feed and foodstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

Environmental Hazards. This product is toxic to fish, birds and other wildlife. Do not apply to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Manufactured by
Acme Burgess, Inc. / Chemical Division
Libertyville, Illinois 60048
630136 Rev. D

Physical or Chemical Hazards. This formulation is combustible. Do Not Use or Store Near Heat or Open Flame. Do Not Store Below 32 Degrees F.

Disposal. Do not reuse empty container. Wrap container and put in trash collection.

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the given size range.

FOR OUTDOOR USE ONLY

For small area applications. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting of foliage. Apply undiluted at the rate of 11 oz. per 1000 sq. ft. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Order Code 89-1001-11

100

enc.