AUG 1 0 1984

Acme Burgess, Inc. Chemical Division P.O. Box 177 Route 45 & Peterson Road Libertyville, IL 60048

Attention: George H. Gray

Gentlemen:

Subject: Burgess Insect Fog Fogging Insecticide

with Pyrethroid

EPA Registration No. 419-178

Your Letters of May 2 and May 8, 1984

The labeling, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended, is acceptable and a stamped copy is enclosed for your records.

At the next printing or within one year, whichever comes first, the phrase "Low toxicity formula" must be deleted from the label.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (TS-767)

RD/IRB:J.M.Tavano:DCR-45249:WANG-0272K:KIM:Raven:479-2013:7/23/84

## BEST DOCUMENT AVAILABLE

CONCURRENCES								
SYMBOL.	TS 767							
SURNAME	Tarano							
	8/2/81							

EPA Form 1320-1 (4-81)

AUG1 0 1984

419-178

# Burgess<sub>I.M.</sub> Insect Fog

Fogging Insecticide with Pyrethroid

# Burgess Insect Fog

Fogging Insecticide with Pyrethroid

# Burgess .... Insect Fog

Fogging Insecticide with Pyrethroid

Just por out totate

Specially formulated for use in ALL electric, propane and gas powered thermo foggers.

Ideal for:

PATIOS
POOL
YARDS

■ PICNIC AREAS ■ CAMPSITES ■ HORSE STABLES


Not for application if horses will be used for food





High knock down and kill, low toxicity formula for control of annoying flying insects including flies, mosquitoes and gnats

For use in ALL propane, gas and electric foggers



Specially formulated for use in ALL electric, propane and gas powered thermo foggers.

Ideal for:

■ PATIOS ■ POOL ■ PICNIC AREAS ■ CAMPSITES ■ HORSE STABLES

ノナレ

777

Not for application if horses will be used for food

100

Manufactured by
Acme Burgess, Inc. / Chemical Division
Libertyville, illinois 60048

ACTIVE INGREDIENTS:

\*+ °resmethrin ([5-phenylmethyl)-3-luranyl] methyl 2,2-dimethyl-3(2-methyl-1 propenyl) cyclogoonecarborylate 0,200% w/m Related compounds 0,027% Aromatic petroleum hydrocarbons 0,265% Petroleum distriblate 1,000% w/m 1,0

0.008% 100.000%

CAUTION: KEEP OUT OF REACH OF CHILDREN. See directions and cautions on side panel

\*Cis/trans isomers ratio: mail. 30% (\*) cis and min. 70% (\*) (rans. +U.S. Pateri Nos. 3,456,007 and 3,542,926 "SBP-1382\* brand of resmethrin

insecticide. Penick Corp., 1050 Wall Street West, Lyndhurst, NJ 07071 E.P.A. EST. No. 419-1L-1 E.P.A. REG. No. 419-178-

NET CONTENTS ONE GALLON 100

Manufactured by
Acme Burgess, Inc. / Chemical Division
Libertyville, Illinois 60048

BEST DOCUMENT AVAILABLE



Bergess 2 Insect Fag 1 Revised 7-15



## Bu. ss. Insect Foy

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Hammful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist, and provide abertique to the skin. Avoid breathing vapors or spray mist, and provide abertique to the skin. Avoid be avoided.

HIE ESGO, SMILLE VIRGINIE

Statement of Practical Treatment. If SWAL-LOWED: Call a physician immediately: Gestric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. Do not Induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air, Apply respiration it indicated.

IF ON SKIN: Wash contaminated skin with soap and water.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Avoid contamination of feed and foodstuffs.

Remove pets, birds, and cover fish aquariums before spraying.

DO NOT ALLOW CHILDREN IN TREATED AREAS
UNTIL SURFACES ARE DRY.

Environmental Hazards. This product is toxic to fish, birds and other wildlife. Do not apply to lakes, streams and ponds. Do not apply where rumoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal oil wastes.

Manufactured by

Acme Burgess, Inc. / Chemical Division Libertyville, Illinois 60048 830143 Rev. C

630138

Physical or Chemical Hazards, This sumulation is combustible. Do Not Use or Store Near Heat or Open Flame. Do Not Store Below 32 Degreer F.

Disposal. Do not : use emply contuner. Wrap container and put in trash collection.

#### **DIRECTIONS**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This formulation is to be used undikuted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

#### FOR OUTDOOR USE ONLY

For small area applications. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wething of foliage. Apply undiluted at the rate of 1 to 2 oz. per 1000 cu. if. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dust when the wind dies down and the air temperature and ground temperature area grownizely the same. Under these conditions the log will linger in the treated area for a longer time. Apply fog white moving away from freated area. Keep away from Food. Humans and Pets. Avoid inhalation of the fog. DO NOT SMOKE WHILE FOGGING Do not enter the treated area until the fog has dissipated. Repeat application as neces-

Order Code 89-1001-11

100

inc

BEST DOCUMENT AVAILABLE

with COMMENTS in EPA Letter Datesta

g 1 0 1984

BEST DOCUMENT AVAILABLE

Programme Problem Inserticing

### PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS &** DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless directed by a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert linger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Wash contaminated skin with soap and water.

IF IN EYES - Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Avoid contamination of feed and foodstuffs. Remove pets birds, and cover fish aquariums before spraying.

DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply to takes, streams, or ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARD

THIS FORMULATION IS COMBUSTIBLE DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.



419-178

# Cenel KITT ONCK

ELECTRIC PROPANI. GAS POWERED HERMO:FOGGER!

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinstate that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

HOUSEHOLD (all) — Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash collection.

GENERAL -- Consult Federal, State or local disposal authorities for approved alternative procedures.

MANUFACTURED by:

ACME BURGESS, INC. CHEMICAL DIVISION Libertyville, IL 60048

Spray SBP-1382

#### **IDEAL FOR:**

PATIOS, YARDS, PICNIC AREAS, POOLS, WAREHOUSES, DRIVE-INS, RESTAURANTS, CAMPSITES, HORSE STABLES -Not for application if horses will be used for food.

DIRECTIONS

access this product in a material (months stern with its labe eo unclinied in only such portable the mel applicator eq particle sizes within the served size range.

Foremail, area applications. Hold thermal application at least 16% is at sepectally plants and attributery. Avoid welting of follage, Apply profitudes part 1,000 scribly or only when there is no breaze, or the wind velocity as per 1,000 scribly or only when there is no breaze, or the wind dies down an attribute and ground immers generally at dusk when the wind dies down at attribute and ground immersally are approximately the same. Under the control of the log of a longer time. Apply for while most steed area. Avoid inhalation of the log. Do not enter the treated area until the least of a longer time.

Chiya, anaune rai risks drues alorage druenthing or ma patrilat not in sitte: secondanc with directions given his cryting