

# Cenol

## KILL QUICK 2% EMULSIFIABLE CONCENTRATE

TRANSPARENT EMULSION\*\* CONCENTRATE

A SYNTHETIC PYRETHROID

DUAL ACTION INSECT KILLER  
KILLS AS CONTACT AND RESIDUAL SPRAY  
KILLS ROACHES UP TO 4 WEEKS

**ACTIVE INGREDIENTS**

*† Resmethrin ([5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate)	2.000% w/w
Related compounds	0.274%

**INERT INGREDIENTS**

	97.726%
	<hr/>
	100.000% w/w

\*Cis/trans isomers ratio: max. 30% (±) cis. and min. 70% (±) trans.  
†U.S. Patent No. 3,465,007 — 3,542,928  
\*U.S. Patent No. 3,683,078  
\*\*SBP-1382\* of Penick Corporation, 1050 Wall Street West, Lyndhurst, N.J. 07071

Contains 0.17 pounds Resmethrin per gallon

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

HAVE CLEAN WATER SUPPLY AT HAND IN CASE OF AN  
EYE EMERGENCY WHEN DILUTING THIS CONCENTRATE  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Manufactured by:

**CENOL COMPANY**

DIV. OF BURGESS VIBROCRaftERS, INC.

P.O. Box 177 • Libertyville, IL 60048

EPA Reg. No. 419-195

EPA Est. 419-IL-1

**NET CONTENTS**

**GALLONS**

### DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container, wrap container and put in trash collection.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### WARNING

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

##### ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

## DIRECTIONS FOR USE DILUTION INSTRUCTIONS

For an emulsion containing 0.35% SBP-1382, dilute:

Concentrate Fluid Ounces	To Volume Below With Water
1.5	8 fluid ounces
3	16 fluid ounces
6	32 fluid ounces
11.5	1/2 gallon
23	1 gallon

**MIX WELL BEFORE USING.**

### APPLICATIONS:

#### INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS

**FOR INDOOR USE:** In non-food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

**CONTACT SPRAY — KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, ANTS, FLEAS.** Apply as a contact spray. Fill spray tank with SBP-1382 0.35% Transparent Emulsion Spray formulation. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

**ANTS:** To kill ants: Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

**FLEAS:** Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

**RESIDUAL SPRAY:** Aids in the control of COCKROACHES, CRICKETS, SILVERFISH, ANTS, FLEAS. Kills for up to 4 weeks. Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to the point of run-off. Repeat as necessary.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

### FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

### PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. FLASH POINT MINIMUM 140°F.

### WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

