# C C	7.7.7
	TOUR
_	J

·V~	Right 119-199	PM17 Pilot
	EPA REGISTRATION NO.	DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS	419-199	17 1985
REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	TERM OF ISSUANCE	•
/	NAME OF PESTICIDE PRODUC	Ť
NOTICE OF PESTICIDE: PREGISTRATION REREGISTRATION	Cencl Liquid House Flant	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Insecticide	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)		
The second contrains	一	
District of Europe Vibrogratters		
• • 100 × 177		
thoustyville, The occ48		
1	•	
_	-	
IOTE: Changes in labeling formula differing in substance fubmitted to and accepted by the Registration Division prioreduct always refer to the above U.S. EPA registration numbers.	r to use of the label in commerc	
on the basis of information furnished by the registrant, the he Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereb	y Registered/Reregistered under
copy of the labeling accepted in connection with this Re-	gistration/Reregistration is retu	uned herewith.
egistration is in no way to be construed as an indorsement ealth and the environment, the Administrator, on his motio ride in accordance with the Act. The acceptance of any na act is not to be construed as giving the registrant a right to	n, may at any time suspend or come in connection with the regis	ancel the registration of a pest- tration of a product under this
y others, and traction of the scenarion of maily requ	istered in accordance	with FIFRA sec.
strong () provides that you:		
). And the phrase "IDA Recipitate you is also the product for phipment.		our latel before
2. submit rive (5) copies of year release the product for shipment.	r final printed label	ino beicre you
It these conditions are not completely subject to cancellation in accordance shipment of the product constitutes a	with FIFRA sec. 6(e)	. Your release for
L , tamped copy of the label is en	closed for your recor	ÓΒ.
P T	imothy A. Gardner rœiuct Manager (17) nsecticide-Rodenticid egistration Division	
ATTACHMENT IS APPLICABLE GNATURE OF APPROVING OFFICIAL		
		DATE

MODERATED
WITH CONCERNMENT
IN EPA Letter Duted

JUN1 7 1985

Under the Federal Inschicts
Fungicide, and Rodonticals
as amended, for the particles
registered under EPA

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of foodstuffs. Cover or remove exposed foods. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops.

ENVIRONMENTAL HAZARDS

This product is toxic to lish and birds. Keep out of lakes, streams, or ponds. Do no apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Concl LIQUID HOUSE PLANT INSECTICIDE

FOR USE IN AND AROUND HOMES ON HOUSE PLANTS GARDEN PESTS HOUSE I

ACTIVE INGREDIENTS

*†‡Resmethrin [(5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate

Related compounds
Pyrethrins
Piperonyt butoxide, technica!
Petroleum distillate
Aromatic petroleum distillate
INERT INGREDIENTS

Cis-trans isomers ratio; max. 30% () cis and min. 70% () trans †U.S. Patent Nos. 3,465,007 and 3,542,928. ‡SBP-1382 brand of resmethrin insecticide.

Penick Corporation, 1050 Wall Streat, West Lyndhurst, NJ 07071 Equivalent to 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% relate

CAUTION

KEEP OUT OF REACH OF CHILDREN

See additional precautionary statements on side panel

E.P.A. Reg. No. 419-199

Manufactured By

ACME BURGESS, INC./Chemical Divisi Libertyville, IL 60048

NET CONTENTS: 1 GALLON



I will be the state of the stat

STORAGE & DISPOSAL

STORAGE: Do not store near heat or open flame. Do not reuse empty container.

DISPOSAL: Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

OUTDOORS AND INDOORS FOR OR-NAMENTAL PLANTS - To kill aphids. climbing cutworms, Japanese beetles, Leaf hopper nymphs, red spider mites, thrips and whiteflies on certain ornaments such as roses, gladiola, azalea, chrysanthemum, and on house plants. Spray shrubs, bushes and grassy areas while moving away from area. Spray with the breeze, allowing mist to drift into shrubbery and other places. As an area spray, mist porches, patios, picnic areas. Repeat as necessary. Avoid wetting, a light spray kills bugs effectively. Spray plants in short bursts only and when the temperature is below 90°F. Repeat as necessary in 7 day intervals. Use caution on young plants and new growth. Do not spray on food crops.

INDOORS — To kill house flies, mosquitoes, gnats, flying moths (millers), fruit flies — Close all doors and windows. Keep sprayer 2 feet from indoor surfaces. Pointing sprayer upward, fill room with mist. Leave treated area closed at least 15 minutes. Ventilate room when treatment is completed.

To kill cockroaches, water bugs, spiders, ants — spray directly on insects when possible. Spray thoroughly baseboards, cracks, crevices, and in back of and under appliances, sinks, and cupboards where these pests have harborages. For spiders spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders. To kill ants — Spray doors, around window frames, ant trails and hills.