

4/19-201 17  
1/2

# Cenol

## LIQUID WHITEFLY AND MEALYBUG INSECTICIDE

FOR USE IN AND AROUND HOMES ON

HOUSE PLANTS GARDEN PESTS HOUSE INSECTS

### ACTIVE INGREDIENTS

* Resmethrin ([(5-(phenyl(1-methyl)-3-furanyl)methyl) 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate) .....	0.080% w/w
Related compounds .....	0.011
Pyrethrins .....	0.020
# Piperonyl butoxide, technical .....	0.020
Petroleum distillate .....	0.060
Aromatic petroleum distillate .....	0.109
INERT INGREDIENTS .....	99.680
TOTAL .....	100.000%

\* Cis/trans isomers ratio: max 30% (±) cis, and min. 70% (±) trans.  
 † U.S. Patent Nos. 3,465,007 and 3,542,928.  
 ‡ SBP-1382 brand of resmethrin insecticide.  
 Penick Corp., 1050 Wall Street, West Lyndhurst, NJ 07071  
 # Equivalent to 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% related compounds.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
 See additional precautionary statements on side panel.

E.P.A. Reg. No. 419-201      Manufactured By:      E.P.A. Est. No. 419-IL-1  
**CENOL COMPANY**  
 Barrington, IL 60010

NET CONTENTS: 1 GALLON

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS  
 AND DOMESTIC ANIMALS  
 CAUTION**

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets, birds and cover fish aquariums before spraying. Do not use on edible crops.

### FIRST AID

In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. Get medical attention if irritation persists. If swallowed, call a physician at once.

### ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not  
 and p

419-201  
21

# Cenol

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE & DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

**OUTDOORS AND INDOORS FOR ORNAMENTAL PLANTS** — To kill aphids, climbing cutworms, Japanese beetles, leaf hopper nymphs, red spider mites, thrips and whiteflies on certain ornamentals such as roses, gladiola, azalea, chrysanthemum, and on house plants: Spray shrubs, bushes and grassy areas while moving away from area. Spray with the breeze, allowing mist to drift into shrubbery and other places. As an area spray, mist porches, patios, picnic areas. Repeat as necessary. Avoid wetting — a light spray kills bugs effectively. Spray plants in short bursts only and when the temperature is below 90°F. Repeat as necessary in 7 day intervals. Use caution on young plants and new growth. Do not spray on food crops.

**INDOORS** — To kill houseflies, mosquitoes, gnats, flying moths (millers), fruit flies — Close all doors and windows. Keep sprayer 2 feet from indoor surfaces. Pointing sprayer upward, fill room with mist. Leave treated area closed at least 15 minutes. Ventilate room when treatment is completed.

To kill cockroaches, waterbugs, spiders, ants — Spray directly on insects when possible. Spray thoroughly baseboards, cracks, crevices, and in back of and under appliances, sinks, and cupboards where these pests have harborages. For spiders — Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders. To kill ants — Spray doors, around window frames, ant trails and hills.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given on the label.

