

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist, and provide adequate ventilation in the area being treated. Contact with the eyes, skin or clothing should be avoided. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not allow children or pets to contact treated surfaces until they have dried.

In the home, all food processing surfaces, dishes and drinkware should be covered during treatment, or thoroughly washed before use. Do not apply directly to food.

In commercial food handling facilities, cover or remove all food and food processing equipment during application. Do not use while food processing is underway. After spraying in food processing plants, wash all equipment benches and work surfaces. Exposed food will be handled, with potable water.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, streams, rivers and streams. Do not contaminate water by cleaning of equipment or disposal of waste.

Apply this product only as specified on the label. Do not apply outdoors when weather conditions are unfavorable to areas treated.

**PHYSICAL HAZARDS**

Do not store near heat or open flame. Flammable - Keep away from heat or open flame.

**DIRECTIONS FOR USE**

**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.

**SHAKE WELL BEFORE USING.**

Apply using a good sprayer adjusted to deliver a fine mist.

**INDOORS:** Kills house flies, mosquitoes and gnats. Close all doors and windows. Direct the spray mist to all parts of the room, especially windows and other light sources where these insects are likely to be. Fill the room with mist, then leave the treated room. Keep the room closed for at least 15 minutes. Ventilate the room when the treatment is completed.

**INDOORS:** Kills cockroaches, earwigs, grain mites, sowbugs, spiders and centipedes.

Spray thoroughly into hiding places such as cracks, crevices, most areas, openings around pipes and drains, under and behind baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

(Continued on Other Side)

# Cenol

## HOUSE & GARDEN SPRAY WATER BASE

Effective for the control of house flies, mosquitoes, gnats, cockroaches, earwigs, grain mites, sowbugs, spiders, centipedes and ants in household and against aphids, exposed thrips and white flies on house plants. Outdoor pests: Mosquitoes, gnats, house flies, biting flies, flying moths (millers), aphids, thrips, white flies, leafhoppers, plant bugs, spittlebugs, Japanese beetles, mimosa webworm larvae (on mimosa) and oakworm larvae.

**ACTIVE INGREDIENTS:**

|   |          |
|---|----------|
| • Resmethrin (15-(phenylmethyl)-3-furyl)-1-methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate | 0.350%   |
| Related compounds   | 0.048%   |
| Aromatic petroleum hydrocarbons   | 0.461%   |
| <b>INERT INGREDIENTS:</b>   | 99.141%  |
|   | 100.000% |

Cis/trans isomers ratio: max. 30% (1:1 cis and max. 70% (1:1 trans)  
U.S. Patent Nos. 3,465,007 and 3,542,928  
• EPA Reg. No. 1352-1000 of resmethrin insecticide, Pennak Corp., 1000 Wall Street West, Lyndhurst, NJ 07071

### CAUTION

KEEP OUT OF REACH OF CHILDREN

See rear panel for additional precautionary statements.

MANUFACTURED BY  
**CENOL COMPANY**

DIV. BURGESS VIBRO-CRAFTERS, INC.  
P.O. Box 177 • Libertyville, IL 60048

NET CONTENTS: One Gallon

419-202

**ANTS:** Spray trails, nests and possible necessary.

**INDOORS:** For use on house plants.

**PLANTS**

African Violets  
Philodendrons  
Coleus

Spray infested plants covered as necessary.

**OUTDOORS:** (NOTE: This product is necessary.) To reduce gnats (midges), house flies (larvae).

Spray areas where the above precautions given above. Apply to bushes and grassy areas. Spray motion while moving away to noyance form these flying insects in a similar manner. Spray only if dissipate before occupying the area.

**OUTDOORS:** To control ornamental plants.

Spray 12 to 18 inches from the sides, covering foliage until the Repeat applications as necessary to age of flowering Quince, Cataneaster, Rose, Camellia, Caerthus, as certain varieties.

**PLANTS**

Smaller Evergreens  
Rhododendrons  
Podocarpus  
Ageratum  
Chrysanthemums  
Snapdragons  
Nasturtiums  
Geraniums  
Forsythia  
Magnolia  
Fatsheia  
Queen Sage  
Broadleaf Acacia  
Tree Mimosa  
Daisy  
Tobira  
Boxwood  
Lilac  
Dogwood  
Maples  
Zinnias

**OUTDOORS:** To control nuisance insects.

**Wasps:** Applications should be made at rest. Spray liberally, contacting as many insects as possible.

**Ants:** Spray trails, nests and possible. Repeat as necessary.

**Earwigs:** Spray directly on places on porches, patio for applications as necessary.

Buyer assumes all risks of use not in strict accordance with

EPA Est. No. 413-IL-1

# Cenol

## HOUSE & GARDEN SPRAY WATER BASE

Effective for the control of house flies, mosquitoes, gnats, cockroaches, earwigs, grain mites, sowbugs, spiders, centipedes and ants in household and against aphids, exposed thrips and white flies on house plants. **Outdoor pests:** Mosquitoes, gnats, house flies, biting flies, flying moths (millers), aphids, thrips, white flies, leafhoppers, plant bugs, spittlebugs, Japanese beetles, mimosa webworm larvae (on mimosa) and oakworm larvae.

### ACTIVE INGREDIENTS:

|   |          |
|---|----------|
| • Resmethrin: ((5-(phenylmethyl)-3-furyl)-1-methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate) | 0.350%   |
| Related compounds   | 0.048%   |
| Aromatic petroleum hydrocarbons   | 0.461%   |
| <b>INERT INGREDIENTS:</b>   | 99.141%  |
|   | 100.000% |

\* Cis/trans isomers ratio: max. 30% (cis) and min. 70% (trans)  
U.S. Patent Nos. 3,465,007 and 3,542,928  
• SBP-1352, brand of resmethrin insecticide, Penox Corp., 1000 W. Street, W. York, Pa. 15091, NJ 07171

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
See rear panel for additional precautionary statements.

EPA Reg. No. 419-201

EPA Est. No. 113-111

MANUFACTURED BY  
**CENOL COMPANY**  
DIV. BURGESS VIBROCRATTERS, INC.  
P.O. Box 177 • Libertyville, IL 60048

**NET CONTENTS: One Gallon**

# Cenol

**ANTS:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**INDOORS:** For use on house plants.

| PLANTS          |           | INSECTS        |
|-----------------|-----------|----------------|
| African Violets | Geraniums | Aphids         |
| Philodendrons   | Begonias  | Exposed thrips |
| Gooseberries    |           | White flies    |

Spray infested plants covering upper and lower leaf areas. Repeat as necessary.

**OUTDOORS:** NOTE: This product is applied as is, no further dilution is necessary. To reduce annoyance from mosquitoes, gnats (midges), house flies, biting flies and flying moths (millers):

Spray areas where the above named insects may rest following all precautions given above. Apply spray 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**OUTDOORS:** To control ornamental plant pests:

Spray 12 to 18 inches from the infested plants. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat applications as necessary. (Use with caution on the tender foliage of flowering Quince, Juniper, Cypress, Mulberry, Ash, Catalpa, Rose, Camellia, Azalea, Pyracantha and Cactaceae as certain varieties have shown some leaf browning.)

| PLANTS             | INSECTS          |
|--------------------|------------------|
| Smaller Evergreens | Aphids           |
| Rhododendrons      | Things exposed   |
| Podocarpus         | White flies      |
| Agaricums          | Leafhoppers      |
| Chrysanthemums     | Plant Bugs       |
| Snagdragons        | Spittlebugs      |
| Nerium             | Japanese Beetles |
| Geraniums          | Locusts          |
| Forsythia          | Althea           |
| Mosquitoes         | Palm             |
| Festucaria         | Texas            |
| Quercus            | Oaks             |
| Broadleaf Acacia   | Roses            |
| Tree Mimosa        | Iris             |
| Daisy              | Ivy              |
| Tobira             | Daphne           |
| Boxwood            | Laurel           |
| Lilac              | Sprea            |
| Dogwood            | Viburnum         |
| Maples             | Peonies          |
| Zinnias            |                  |

**OUTDOORS:** To control nuisance pests on or entering buildings:

**Wasps:** Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

**Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**Earwigs:** Spray directly on earwigs in crevices and other hiding places on porches, patio floors and doorway entrances. Repeat applications as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

419-201