

U.S. ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (WH-567)  
WASHINGTON, D.C. 20460

Y.M. 17  
EPA REGISTRATION NO.

DATE OF ISSUANCE

419-206

JUN 17 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Cenox Food Plant Fogging Spray  
with Aliethrin

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Cenol Company  
Division of Burgess Vibrocrafters  
P.O. Box 177  
Libertyville, Ill. 60048

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Add the phrase "EPA Registration No. 419-206" to your label before you release the product for shipment.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

WITH ALLETHRIN

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUN 17 1985

Designed for Use in Edible Product Areas of Official Establishments  
Operating Under the Meat, Poultry, Shell Egg Grading and Egg Products  
Inspection Programs and in Other Food Processing Plants.  
Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

419-206

**BEST AVAILABLE COPY**

**ACTIVE INGREDIENTS:**

Allethrin (allyl homolog of Cinerin I) .....	1.25%
Related compounds .....	0.14%
*Piperonyl Butoxide, Technical .....	5.00%
Petroleum Distillate .....	93.61%
	100.00%

\*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds

**CAUTION KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Avoid contamination of feed and foodstuffs.  
See below and side panels for additional precautionary statements

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

EPA REG. NO. 419-

EPA EST. NO. 419-I-1

Manufactured By  
Cenol Company  
Div. Burgess Vibrocrafters, Inc.  
P.O. Box 177  
Libertyville, Ill. 60048

**BEST AVAILABLE COPY**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not reuse empty container. Wrap container and put in trash collection.

**SPACE SPRAY:** To kill accessible, stages of house flies, including fruit flies, small flying moths, gnats, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms and grain mites: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying.

In mushroom production and processing. To kill mushroom flies or fungus gnats in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

**SPACE AND CONTACT SPRAY:** To kill accessible, exposed stages of silverfish, crickets, roaches, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly all ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows and shutting off all ventilating systems proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Vacate and close off treated area. Do not reenter for at least 15 minutes after application. Ventilate before reoccupying. Repeat treatment as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith