Ros # 411-210 1M 17

U.S. ENVIRONMENTAL PROTECT ON AGENCY OFFICE OF PESTICIDES P) GRAMS REGISTRATION DIVISION (% 3-567) WASHINGTON, D.C. 20460

TERM OF ISSUANCE

NOTICE OF PESTICIDE: MEGISTRATION

REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

EPA REGISTRATION NO.

419-210

Cenol Liquid Professional Insect Killer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Centri Company Division of Durgers Vilaconafters F.C. Box 17: Titertyville, 11. (GU48

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number,

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned berewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is denotificably redistored in addordance with FIFRA sec. 3(c)(%)(A) provided that you;

- 1. Acd the phrase "HIA Registration Ro. 419-210" to your label before you release the product for shipment.
- 2. Surmit five (5) depice of your final printed labeling before you release the product for shipment.

In these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shippent of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767)

ATTACHMENT IS APPLICABLE		110	
SIGNATURE OF APPROVING OFFICIAL	ACC	Sol	DATE C-17-5T

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

L

CENOL LIQUID PROFESSIONAL INSECT KILLER

For Use in the Home, and Hon-Food and Food Areas of: Food Processing Plants, Schools, Marcheuses, Office Buildings, Theatres, Garages, Hotels, Hotels, Kennels, and Hospitals

ACTIVE INGREDIENTS:

BEST AVAILABLE CAPY

*d-trans-chrysanthemum monocarboxylic aci	d ester of	
d-2-ally1-4-hydroxy-3-methy1-2-cyclopenten-1-one		.163%
Other isomers	•	.012%
**Piperonyl butoxide, technical		.350%
4N-octyl bicycloheptene dicarboximide		.585%
Petroleum distillate		98.890%
		100.000%

* S-bioallethrin from ESBIOLO, Roussel-Uclaf

** Equivalent to .200% (butylcarbityl)(6-propylpiperonyl) ether and .07% related compounds

MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

MCCEPTED
with COMMENTS
to EPA Lengthurello. 419-

EPA Est. No. 419-11-1

JUN 1 7 1985

Under the Pederal Insecticida, Puntroide, and Bodentierde Act as amended, for the posticide registered under EPA Bog. No.

Manufactured By

CENOI COMPANY

Jiv. Burgess Vibrocrafters, Inc. Libertyville, Ill. 60048

USDA FSIS

MAR 30 '83

NET CONTENTS

SIDE PAIXEL

NOTE: When used in hospitals, patien's should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Space Spray to Kill flies, Mosquitoes, Small Hying Moths and Gnats: Close room and shut off all air conditioning and ventilating equipment. Apply with mechanical or compressed air sprayer or with fogger that gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounces per 1,000 cubic feet of space to be treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate thoroughly prior to re-entry. Sweep up and destroy fallen insects. Repeat as necessary.

Contact or Surface Spray to Kill Cockroaches, Ants and Crickets: Apply with a sprayer that will give coarse wet droptets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harbourages. Use one gallon of spray per 1,000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a soaking application. In all case contact as many insects as possible with the spray. Repeat application as necessary for control.

To Kill Carpet Boetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact. Repeat frequently.

To Kill Exposed Forms of Confused Flour Boetles, Sawtoothed Grain Beetles, Lesser Grain Borers and Rice Vocvils: Find and destroy intested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Fleas: Remove and destroy animals bedding and spray sleeping quarters, freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Do not spray animals directly. Replat as necessary.

USDA-FSIS

MAR 30 183

DEST AVAILABLE COPY

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if scallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Do not store near heat or open flame.



DIRECTIONS FOR USF

GENERAL CLASSIFICATION.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Posticide Dispo : Posticide or rinsate that cannot be used or chemically processed should edisposed of in a landfill approved for posticides or buried in a safe place away from water supplies. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

- Container Disposal: a) Containers of 30 mallors or more reseal container and offer for reconditioning, or:
 - b) All containers triple sense (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place.

General: Consult Indexal, State or Local authorities for approved alternative procedures.

2SDA

HAR JU 183