

STORAGE AND DISPOSAL

Avoid Storage conditions that might alter the composition or stability of the product, e.g. temperature extremes, excessive moisture or humidity, frost, sunlight, fire, or contamination by substances of other kinds. Keep pesticide container closed in a cool, dry, locked cabinet or room.

Pesticide Disposal:

Do not contaminate water, food, or feed by storage or disposal. Pesticide Wastes are not to be disposed of in a sewer, on the ground, or by other procedures approved by State and local authorities.

Container Disposal:

Metal Containers — Treat as above for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic Containers — Treat as above for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if approved by State and local authorities, by burning. If burned, steer out of smoke.

Household Use Pesticide Only:

Pesticide Disposal: Seal tightly wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse container (bottle, can, jar). Rinse thoroughly before recycling in trash.

Cenol

DO-IT TO-IT BUG SPRAY

CARBAMATE 1% OIL SOLUTION (CONTAINS BAYGON)

FOR PROFESSIONAL, INDUSTRIAL AND INSTITUTIONAL USE

DO-IT TO-IT BUG SPRAY is a highly effective ready-to-use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives residual control and rapid kill of insects specified below.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paper lice, Punkies, Sand Flies, Scorpions, Silverfish, Sow Bugs and Spiders, Exposed stages of Caddisflies, Cigarette Beetles, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, and Sawtoothed Grain Beetles.

**PRECAUTIONARY STATEMENT — S
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, or on clothing. In case of contact, wash thoroughly with soap and warm water. Keep children and pets off treated areas until dry. Do not store near food or food products. Do not contaminate food. Wash hands, arms, and face thoroughly with soap and water before eating or drinking. Wash all contaminated clothing with soap and hot water before reuse. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use in animal barns and poultry houses for fly control. If poisoning occurs, get prompt medical aid. Refer to Physician. Antidote is atropine. Do not use this product in food areas of food handling establishments, restaurants or other places where food is prepared or processed.

PHYSICAL OR CHEMICAL HAZARDS

The solvents of this formulation may attack certain plastic, rubber and asphalt materials such as tires and floor coverings. Do not treat such materials without first testing a small inconspicuous area. Store in a cool place. Keep away from direct sunlight, radiator, stoves and other heat. Do not use or store near heat or open flame. Do not store near food or food products. Do not store below 32°F. If stored with heat and may freeze in bottled can. Product may be reconstituted by agitation and warming to 70°F.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

STATEMENT OF**PRACTICAL TREATMENT**

- If Swallowed — Contact Poison Control Center. Do not induce vomiting. Get medical attention immediately.
- If Inhaled — Remove victim to fresh air. Apply respiration if indicated.
- If on Skin — Wash area immediately with soap and warm water.
- If in Eyes — Flush with plenty of water and get prompt medical attention.

ACCEPTED

SEP 16 1987**ACTIVE INGREDIENTS:**

1-(4-Methylthoxy)phenol methyl carbamate 1.00%

INERT INGREDIENTS*..... 99.00%

100-00%

KEEP OUT OF REACH OF CHILDREN**CAUTION**EPA Reg. No. 419-221
EPA Est. No. 419-1L-1

Manufactured by
CENOL Company
Barrington, IL 60015
Reg. No. 419-221

Net 1 Gallon / 3.785 Liters**BEST AVAILABLE COPY**

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE: Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborage. Not to be used as a mosquito larvicide. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES — Thoroughly treat the infested area. Spray baseboard, cracks and crevices; around window and door frames, under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, sinks and stoves; in and around waste containers, switch panels, junction boxes and floor drains.

ANTS — Apply to trails and places where ants enter premises, such as window and door frames, spray hills and runways outdoors.

CADELLES, CIGARETTE BEETLES, DRUG STORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGES) — Thoroughly treat floors and walls of the infested area with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

SILVERFISH, FIREBRATS AND PAPER LICE — Apply to localized areas infested by these insects.

BROWN DOG TICKS — Spray sleeping quarter of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarter after spraying. Do not spray animals.

CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES, CENTIPEDES, SOW BUGS, SCORPIONS AND SPIDERS — Thoroughly spray the interior and exterior perimeter of the infested premises. For CLOVER MITES, give special attention to window frames.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SAND FLIES (outdoors only) — Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which exposed food is held, processed, prepared or served.

NON-FOOD AREAS — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

INSECT CONTROL IN RESEARCH FACILITIES — The use of PRENTOX RESIDUAL SPRAY in and around research animal quarters for insect control, will not induce changes in liver microsomal enzyme activity in these animals.

BEST AVAILABLE COPY