FRONT PANEL

Varco

50% CRESYLIC SOLUTION

ACC
8-26-71
UNDER THE FE
FUNGICIDE AN
FOR ECONOMIC
ED UNDER NO
TO ATTACHED
421-8

Phenol Coefficient 5 - A.O.A.C. Method
Active Ingredients: 75% (1) Cresylic Acid (2) Soap
Inert Ingredients: 25% (1) Water (2) Glycerine

A CRESYLIC DISINFECTANT

SEE BACK PANEL FOR NON-FOOD USE DIRECTIONS. THESE DIRECTIONS T MUST BE FOLLOWED WHEN THIS PRODUCT IS USED IN POULTRY HOUSES, t LIVESTOCK PREMISES, FOOD PROCESSING PLANTS AND POULTRY A PROCESSING PLANTS.

be used in the disinfection of premises, livestock cars, etc. in connection with the eradication of hog cholera and other diseases.

DIRECTIONS FOR USE

50% Cresylic Solution mixes quickly with water.

Poultry Houses—For disinfection and use in poultry houses, use not less than 4 fluid ounces in each gallon of water. ~~[illegible]~~ Follow directions on back panel

Livestock Premises—For disinfection of stock cars, stock yards, public stables, boats and premises that harbour animals infected with or exposed to communicable disease, remove all litter or bedding and clean building thoroughly. Apply disinfectant at a rate of 4 ounces per gallon of water. Follow directions on back panel

~~DIRECTIONS FOR SPECIAL USES~~

~~[illegible]~~

[illegible] Dog Kennels—If disease has been present clean up everything and spray kennels and runs with a solution of ¼ pint Disinfectant in 1 gallon of water. Wash shipping crates with same solution. For routine disinfection and flea prevention use 1/6 pint Disinfectant to 1 gallon of water. Repeat as often as necessary.

For Disinfecting Fox Ranches—If disease has been present remove foxes to isolated quarters. Clean up thoroughly. Spray everything with a solution of ¼ pint Disinfectant in 1 gallon of water. Do not replace foxes until everything is dry. For routine disinfection 1/6 pint Disinfectant in 1 gallon water is sufficient.

For Dipping Dogs and Foxes—For fleas and lice on dogs or foxes, excepting young puppies, dip the animal in a solution of 1 part Disinfectant in 100 parts warm water. Repeat as often as necessary.

Food Processing Plants—This product can be used for disinfecting animal quarters and inanimate objects but is not recommended for use in edible products departments or edible loading docks of official plants. Solutions should not come in contact with food products.

Poultry Processing Plants—This product can be used for disinfecting poultry quarters and inanimate objects but is not recommended for use in edible products departments. Solutions should not come in contact with food products. Can be used in refuse rooms and boiler rooms.

DANGER KEEP OUT OF REACH OF CHILDREN MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. MAY PRODUCE SEVERE BURNS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. AVOID BREATHING SPRAY MIST. WASH THOROUGHLY AFTER HANDLING. salad oil, linseed oil, or dilute alcohol.

Internal—Give milk, white of egg, flour and water paste, or cornstarch and water paste. Follow with an emetic such as tablespoonful of mustard in a glass of water.

Call a Physician.

Poison

Contains Carbolic Acid

USDA Reg. No. 421-8 Net Contents:

A Product of James Varley & Sons, Inc. ST. LOUIS, MO.

VARCO
50% Cresylic
Solution

NON-FOOD USE DIRECTIONS
(See Front Panel For Dilutions)

1. Do not use in milking stalls, milking parlors or milk houses.
2. Remove all animals, poultry and feeds from premises, cars, boats, trucks, coops and crates.
3. Remove all litter and manure from floors, walls, and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
4. Empty all troughs, racks, and other feeding and watering appliances.
5. Saturate all surfaces with accepted disinfecting solution.
6. Immerse all halters, ropes and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers.
7. Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set or dried.
8. All treated feed racks, mangers, troughs, automatic feeders, fountains and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to re-use.

CAUTION: DO NOT RE-USE EMPTY CONTAINER. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

A Product of James Varley & Sons, Inc., St. Louis, Mo.