

For use as a disinfectant-cleaner in hospitals, nursing homes, restaurants, food processing plants, schools and public buildings. Winterphene should always be diluted with water before using, as the use of the concentrated disinfectant may cause irritation to the skin.



Be sure all dirt is swept up and removed before applying disinfectant, and make sure disinfectant solution comes in contact with all contaminated areas.

To disinfect floors, cellars, basements, toilet rooms, bathrooms, lavatories, urinals, sinks, clean thoroughly: use 1/2 oz. of this preparation to every gallon of water; mop in regular manner. If it is impractical to mop specific places, use 3 ounces per gallon of water and spray thoroughly over entire surface.

To disinfect kitchen tables, drainboards, marble, tile, linoleum, limestone, glass, rubber, soda fountains, refrigerators, cooling rooms, refrigerator cars, rinse thoroughly with a dilution of 2 ounces of this product to a gallon of water cleansing in regular manner, allowing contact for ten minutes. Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to re-use.

For more drastic conditions such as disinfection of exceptionally dirty urinals, garbage cans, a most thorough cleaning must be done by use of strong cleaning solutions, removing all dirt, then make sure disinfectant comes in contact with all contaminated areas; disinfect with a solution of 4 ounces of disinfectant per gallon.

For use in reducing the spread of athlete's foot fungi on environmental surfaces. Two ounces in one gallon of water is recommended for scrubbing shower room floor, locker room benches, runways, bath mats and other surfaces commonly contacted by the bare feet.



Winter-phene

PHENOL COEFFICIENT A.O.A.C. METHOD
Staphylococcus aureus 9.5 Salmonella typhosa 7.5

USE DILUTION A.O.A.C. METHOD
Staphylococcus aureus 1 to 190
Salmonella choleraesuis 1 to 150

ACTIVE INGREDIENTS: 39%
(1) Isopropyl Alcohol 25.94% (2) Soap 5.69% (3) o-Benzyl-p-Chlorophenol 4.90% (4) Methyl Salicylate 1.22% (5) o-Phenylphenol 0.75% (6) Essential Oils 0.50%
INERT INGREDIENTS: 61%

WARNING: KEEP OUT OF REACH OF CHILDREN

(See First Aid and other precautions on right panel)

ST. LOUIS, *James Varley & Sons, Inc.* MISSOURI

NET CONTENT: ONE GALLON

ACCEPTED

Feb 18 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
AS ECONOMIC POISON REGISTERED
UNDER NO. 171-16

Winte

PHENOL COEFF
Staphylococcus aureu
USE DILUTI
Staphyloc
Salmonella

ACTIVE INGREDIE
(1) Isopropyl Alcho
5.69% (3) o-Benzyl-p
Salicylate 1.22% (5)
(6) Essential Oils 0.5
INERT INGREDIEN

WARNING: KEEP

(See First Aid and o

ST. LOUIS, James T.

NET CONTENT: ONE GALLON