T1)32	4 2./	-/6	The state of the s	
Please read Instructions on reverse before completing form  (A) United States Environment Office of Pesticick Pro Washing and, D Application form	tal Protection Agency ograms (H7505C)	Proved. OMB No. 207 Registrat Amendm		
Application f		Other	203727	
Se	ction I			
1. Company/Product Number 421-16	2XEPXRRS66300 9/8/9		Proposed Classification	
4. Company/Product (Name) Winter-Phene	PM#	PM# Restricted  Douglas/32 General		
		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)		
5. Name and Address of Applicant (Include ZIP Code) James Varley & Sons, Inc. 1200 Switzer Avenue St. Louis, Missouri 63147	(b)(i), my produc to:	(b)(i), my product is similar or identical in composition and labeling		
Check if this is a new address	4	Product Name		
Sect	tion I i			
Amendment - Explain below	Final printed Agency lett	Final printed labels in response to Agency letter dated		
Resubmission in response to Agency fetter dated  Notification - Explain below.	*Me Too* A			
95-1 and 40 CFR 152.46, then this produ ject to enforcement action and penaltic Note: This notification does not precl native labeling for containers that are	e exempt under PR	12 and 14 of I ther approved Notice 95-1.	FIFRA. labeling as alter-	
Section	on III			
Material This Product Will Be Packaged In: Child-Resistant Packaging   Unit Packaging	Water Soluble Packaging	2. Type of C	ontainer	
Yes* Yes	Yes		Metal	
It "Yes," No. per	*	Paner		
* Certification must be Unit Package wgt. container submitted.	Package wgt. co.	ntainer	, ,	
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions On Label				
Label Container		g accompanying product		
Stence Stence	aled		• • • •	
Contact Point (Complete items directly below for identification	ction IV on of individual to be contacted	ed, if necessary. to pro	ocess this application)	
Name	Title	Т	elephone No. (Include Area Code)	
Chester J. Sempkrwski	Technical Dir	ector i	(312) 523-8320	
Certification I certify that the statements I have made on this form and all a lacknowledge that any knowingly false or misleading statem both under applicable law	attachments thereto are true			
2. Signature Chester Jamphouski	3. Title Technical	Director		
4. Typed Name	5. Date 9/8/	195		



## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Use As a Disinfectant-Cleaner in Hospitals, Nursing Homes, Restaurants, Food Processing Plants, Schools and Public Buildings: WINTER-PHENE should always be diluted with water before using, as the use of the concentrated disinfectant may cause irritation to the skin.

Be sure all dirt is swept up and removed before applying disinfectant and make sure disinfectant solution comes in contact with all contami-

To Disinfect Floors, Cellars, Basements, Toilet Rooms, Bathrooms, Lavatories, Urinals, Sinks, clean thoroughly: Use 1 oz. of this preparation to every gallon of water; mop in regular manner. If it is impractical to mop specific places, use 3 oz. per gallon of water and spray thoroughly over entire surface.

To Disinfect Kitchen Tables, Drainboards, Marble, Tile, Linoleum, Limestone, Glass, Rubber, Soda Fountains, Refrigerators, Cooling Rooms, Refrigerator Cars: Rinse thoroughly with a dilution of 2 oz. of this product to a gallon of water cleansing in regular manner, allowing contact for ten minutes. Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.

For More Drastic Conditions Such As Disinfection of Exceptionally Dirty Urinals, Garbage Cans: A most thorough cleaning must be done by use of strong cleaning solutions, removing all dirt, then make sure disinfectant comes in contact with all contaminated areas; disinfect with a solution of 4 oz. of disinfectant per gallon.

For Use in Reducing The Spread of Athlete's Foot Fungi on Environmental Surfaces: 2 oz. in one gallon of water is recommended for scrubbing shower room floor, locker room benches, runways, bath mats and other surfaces commonly contacted by the bare feet.



**NON-SELECTIVE** 

TUBERCULOCI

DISINFECTANT/CLEANER/GERMICI Phenol Coefficient A.O.A.C. Method

Salmonell

Staphylococcus aureus 1 to 190

Use Dilution A.O.A.C. Method
reus 1 to 190 Salmonella cholerae

### **ACTIVE INGREDIENTS:**

o-Benzyi-p-Chlorophenol ... 

EPA Reg. No. 421-16

EPA Est. No.

# KEEP OUT OF REACH OF CHILDRE **WARNING:**

See side panel for statement of practical treatment and pre statements.

A PRODUCT OF

JAMES VARLEY & SONS, INC ST. LOUIS, MO 63147 • 1-800-325-3303 MADE IN THE USA

**NET CONTENTS: 1 GALLON** 

James Varley & Sons 1200 S. Switzer Avenue St. Louis, MI 63147

Attention: Chester J. Sempokowski

Technical Director

Subject:

Winter-Phene

EPA Registration Number 421-16

MOU Compliance Amendment Dated May 4, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Roderticide Act, as amended, will be acceptable provided that you make the labeling changes listed below before you release the prodct for shipping bearing the amended labeling.

- 1. Remove the Phenol Coefficient listings on the center of the label.
- 2. Under the heading "For Hospital Use", revise the measurements in the following manner: "240 cc" to read "8 oz (240 cc)", and "320 cc" to read "11 cz (320 cc)".
- 3. In the directions for hospital use disinfection, specify contact time.

A stamped copy of your labeling is enclosed for your records. Submit five (5) copies of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Wanda Mitchell at (703) 305-6141.

Sincerely,

Ruth G. Douglas

Product Manager (32)

Antimicrobial Program Branch

SURNAME DATE

DATE

REQUIREMENTS DIVISION (7303C)

SURNAME DATE

DATE

OFFICIAL SUF CORV

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Use As a Disinfectant-Cleaner in Hospitals, Nursing Homes, Restaurants, Food Processing Plants, Schools and Public Buildings: WINTER-PHENE should always be diluted with water before using, as the use of the concentrated disinfectant may cause irritation to the skin.


Be sure all dirt is swept up and removed before applying disinfectant and make sure disinfectant solution comes in contact with all contaminated areas.

To Disinfect Floors, Cellars, Basements, Toilet Rooms, Bathrooms, Lavatories, Urinals, Sinks, clean thoroughly: Use 1 oz. of this preparation to every gallon of water; mop in regular manner. If it is impractical to mop specific places, use 3 oz. per gallon of water and apray thoroughly over entire surface.

To Disinfect Kitchen Tables, Drainboards, Marble, Tile, Linoleum, Limestone, Glass, Rubber, Soda Fountains, Refrigerators, Cooling Rooms, Refrigerator Cars: Rinse thoroughly with a dilution of 2 oz. of this product to a gallon of water cleansing in regular manner, allowing contact for ten minutes. Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with putable water prior to reuse.

For More Drastic Conditions Such As Disinfection of Exceptionally Dirty Urinals, Garbage Cans: A most thorough cleaning must be done by use of strong cleaning solutions, removing all dirt, then make sure disinfectant comes in contact with all contaminated areas; disinfect with a solution of 4 oz. of disinfectant per gallon.

For Use in Reducing The Spread of Athlete's Foot Fungi on Environmental Surfaces: 2 pz. in one gallon of water is recommended for scrubbing shower room floor, locker room benches, runways, bath mats and other surfaces commonly contacted by the bare feet.



ACCEPTED

with COMMINTS in EPA United:

Under a content unserted. Fur walk, although the principle for the principle mattered under HPA For No.

11-16F

2 1995

**REST COPY AVA** 

ï