

ACTIVE INGREDIENTS

90%

INERT INGREDIENT

10%

Coal Tar Neutral Oils

Water

~~Fluoride~~

Soap

**Coal Tar Phenols DIRECTIONS FOR USE**

Use one-fourth cup of Coal Tar Disinfectant to each 10 quart pail of water taken for mopping, scrubbing, sprinkling or cleaning purposes.

**GARBAGE:** To deodorize sprinkle with Disinfectant Solution, using one-fourth cup to a gallon of water. Rinse the empty can with some of the solution and leave the wash in the can. Coal Tar Disinfectant helps to prevent the breeding of flies. **in the container.**

**FLOORS:** Use one-fourth cup of Coal Tar Disinfectant to a 10 quart pail of water when scrubbing or mopping.

**KITCHEN SINKS:** Scrub above and beneath sink, along the sides and edges of the sink, using a solution of one-fourth cup of Coal Tar Disinfectant to a 10 quart pail of water, and flush pipes with the remainder of the fluid.

**WATER CLOSETS AND URINALS:** Wash the closet and urinal bowls regularly with Coal Tar Disinfectant solution in the proportion of one-fourth cup to a gallon of water. Scrub the floors and seat frequently with Coal Tar Disinfectant Solution.

**GENERAL DISINFECTION**

Use the following procedure in treating all premises:

Clean and remove all filth and dirt from the premises and then use a solution of 1 part Disinfectant to 140 parts of water, for effectively disinfecting spittoons, sinks and garbage cans. Use similar solution as an aid in disinfecting live stock premises.

**FOR ANIMAL QUARTERS**

Keep the barns, kennels, pens and sties thoroughly clean by scrubbing and spraying freely with a solution of Coal Tar Disinfectant in the proportion of one cupful to a 10 quart pail of water. Scrub all floors with this solution to help control contamination

Cameraman's Note

Poor Copy

**WARNING: KEEP OUT OF REACH OF CHILDREN.** May produce severe burns. May be fatal if swallowed or absorbed through skin. If accidentally swallowed, give white of egg, mucilage, starch paste, etc., as an antidote. Use one tablespoonful of mustard in glass of water as an emetic. Do not get in eyes, on skin or on clothing. Wash thoroughly with water after handling. Avoid breathing vapor, fumes or spray mist. Keep away from domestic animals. Avoid contamination of food and feedstuffs.

NET CONTENTS

USDA Reg. No. 421-96

MANUFACTURED BY  
**JAMES VARLEY & SONS, INC., ST. LOUIS 15, MO.**


1M 10-7-48

# DISINFECTANT

U. S. BUREAU OF STANDARDS - COMMERCIAL SPEC. CS 70-41

Phenol Coefficient at least **5** by A.O.A.C. Method

<b>ACTIVE INGREDIENTS</b>	<b>90%</b>
Coal Tar Neutral Oils	
Soap	
Coal Tar Phenols	
<b>INERT INGREDIENT</b>	<b>10%</b>
Water	



**FOR DISINFECTION AGAINST SALMONELLA CHOLERAESUIS AND PSEUDOMONAS AERUGINOSA:** Use 1/2 cup Coal Tar Disinfectant to each 10 quart pail of water for mopping, scrubbing, sprinkling or cleaning purposes.

**FLOORS:** Use 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water when scrubbing or mopping.

**KITCHEN SINKS:** Scrub above and beneath sink, along the sides and edges of the sink, using a solution of 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water and flush pipes with the remainder of the fluid for deodorization.

**GARBAGE:** To deodorize thoroughly, moisten the garbage with a solution of 1/2 cup Coal Tar Disinfectant to one gallon water. Rinse empty can with some of the solution and leave the wash in the can. Coal Tar Disinfectant helps to prevent the breeding of flies in the container.

**WATER CLOSETS AND URINALS:** Wash the closet and urinal bowls regularly with Coal Tar Disinfectant solution in the proportion of 1/2 cup to one gallon of water. Scrub the floors and seat frequently with Coal Tar Disinfectant solution.

## WARNING: KEEP OUT OF REACH OF CHILDREN

May produce severe burns. May be fatal if swallowed or absorbed through skin. If swallowed, give white of egg, mucilage or starch paste as antidote. Use 1 tablespoonful of mustard in glass of water as an emetic. Call a physician.

Do not get in eyes, on skin or on clothing. Wash thoroughly with water after handling. Avoid breathing vapor fumes or spray mist. Keep away from domestic animals. Avoid contamination of feed and foodstuffs.

Soap  
Coal Tar Phenols  
**INERT INGREDIENT**  
Water

10%

ENTIRE  
SUBJECT  
PMS.

**FOR DISINFECTION AGAINST SALMONELLA CHOLERAESUIS AND PSEUDOMONAS AERUGINOSA:** Use 1/2 cup Coal Tar Disinfectant to each 10 quart pail of water for mopping, scrubbing, sprinkling or cleaning purposes.

**FLOORS:** Use 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water when scrubbing or mopping.

**KITCHEN SINKS:** Scrub above and beneath sink, along the sides and edges of the sink, using a solution of 1/2 cup Coal Tar Disinfectant to a 10 quart pail of water and flush pipes with the remainder of the fluid for deodorization.

**GARBAGE:** To deodorize thoroughly, moisten the garbage with a solution of 1/2 cup Coal Tar Disinfectant to one gallon water. Rinse empty can with some of the solution and leave the wash in the can. Coal Tar Disinfectant helps to prevent the breeding of flies in the container.

**WATER CLOSETS AND URINALS:** Wash the closet and urinal bowls regularly with Coal Tar Disinfectant solution in the proportion of 1/2 cup to one gallon of water. Scrub the floors and seat frequently with Coal Tar Disinfectant solution.

**WARNING: KEEP OUT OF REACH OF CHILDREN**

May produce severe burns. May be fatal if swallowed or absorbed through skin. If swallowed, give white of egg, mucilage or starch paste as antidote. Use 1 tablespoonful of mustard in glass of water as an emetic. Call a physician.

Do not get in eyes, on skin or on clothing. Wash thoroughly with water after handling. Avoid breathing vapor fumes or spray mist. Keep away from domestic animals. Avoid contamination of feed and foodstuffs.

Discard empty container after repeated rinsing with water. Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place. Do not contaminate water by cleaning of equipment or disposal of wastes.

**NET CONTENTS**

EPA Reg. No. 421-99

---

A Product of *James Varley & Sons, Inc.* ST. LOUIS, MO.