

421-223



MICRO-KIL 10

A New, Non-Selective

HOSPITAL DISINFECTANT

KILLS ODORS! DISINFECTS!

*Brilliantly Clear Solutions
in Any Proportions!*

Odorless In Solutions!

Pleasant, Mild, Fragrant Odor

USDA Reg. No. 421-223

ACTIVE INGREDIENTS: 40%

(1) Isopropanol 25.29 % (2) 4 and 6-chloro-2-phenylphenol 4.86 %
(3) o-phenylphenol 2.94 % (4) o-benzyl-p-chlorophenol 2.19 % (5)
Potassium hydroxide 2.71 % (6) Sodium dodecylbenzene sulfonate
1.48 % (7) Tetrasodium ethylene diamine tetraacetate .28 % (8)
p-tertiary amylphenol .10 % (9) Sodium toluene sulfonate .10 %
(10) 2,2'-methylenebis (3, 4, 6-trichlorophenol) .05 %.

INERT INGREDIENTS: 60%

(1) Water 59.25 % (2) Essential oils .30 % (3) Sodium lauryl alco-
hol sulfate .19 % (4) Sodium tripolyphosphate .13 % (5) Sodium
nitrite .13 %.

PHENOL COEFFICIENT, A.O.A.C. METHOD

Salmonella typhosa	10.0
Staphylococcus aureus	12.5
Use Dilution, A.O.A.C. Method	
Salmonella choleraesuis	1 to 200
Staphylococcus aureus	1 to 250

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See side panel for further caution)



A Product of *James Varley & Sons, Inc.* ST. LOUIS, MO.

FOR USE IN CONTROLLING THE SPREAD OF ATHLETES' FOOT FUNGI:
Two ounces in one gallon of water is recommended for scrubbing shower room floors, locker room benches, runways, bathmats and other surfaces commonly contacted by the bare feet.

SURGICAL IN
Allow immer
cases, to ren
solution 1/2 h
infecting surg
infectious ca
ments should
of 3 ounces

FOR THE SIC
a solution of

FOR CLOTHIN
laundrying, s
gallon of wa
to be treatec
oughly rinse i

FOR LAVATO
each gallon
the drain pip

TUBERCLE BA
bat tubercle

Remove all f
use 1 part o
In the typho
rooms this D
gallon of wa
This Disinfec
1 part Disinf

CAUTI

*Solutions
should be t
thereon sh*

Net Contents:

421-223



MICRO-KIL 10

**A New, Non-Selective
HOSPITAL DISINFECTANT**

KILLS ODORS! DISINFECTS!

*Brilliantly Clear Solutions
in Any Proportions!*

Odorless In Solutions!

Pleasant, Mild, Fragrant Odor

USDA Reg. No. 421-223

ACTIVE INGREDIENTS: 40 %

(1) Isopropanol 25.29 % (2) 4 and 6-chloro-2-phenylphenol 4.86 %
(3) o-phenylphenol 2.94 % (4) o-benzyl-p-chlorophenol 2.19 % (5)
Potassium hydroxide 2.71 % (6) Sodium dodecylbenzene sulfonate
1.48 % (7) Tetrasodium ethylene diamine tetraacetate .28 % (8)
p-tertiary amylphenol .10 % (9) Sodium toluene sulfonate .10 %
(10) 2,2'-methylenebis (3, 4, 6-trichlorophenol) .05 %.

INERT INGREDIENTS: 60 %

(1) Water 59.25 % (2) Essential oils .30 % (3) Sodium lauryl alco-
hol sulfate .19 % (4) Sodium tripolyphosphate .13 % (5) Sodium
nitrite .13 %.

PHENOL COEFFICIENT, A.O.A.C. METHOD

Salmonella typhosa	10.0
Staphylococcus aureus	12.5
Use Dilution, A.O.A.C. Method	
Salmonella choleraesuis	1 to 200
Staphylococcus aureus	1 to 250

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See side panel for further caution)



A Product of *James Varley & Sons, Inc.* ST. LOUIS, MO.

FOR USE IN CONTROLLING THE SPREAD OF ATHLETE'S FOOT FUNGI:
Two ounces in one gallon of water is recommended for scrubbing shower room floors, locker
room benches, runways, bathmats and other surfaces commonly contacted by the bare feet.

SURGICAL II
Allow imme
cases, to re
solution 1/2
infecting sur
infectious co
ments shoul
of 3 ounces

FOR THE SI
a solution o

FOR CLOTHI
laundering,
gallon of w
to be treat
oughly rinse

FOR LAVAT
each gallon
the drain pi

TUBERCLE B.
bat tubercle

Remove all
use 1 part
In the typh
rooms this
gallon of w
This Disinfe
1 part Disir

CAUTION

*Solutions
should be
thereon sh*

Net Contents