

TARO O



## DIRECTIONS FOR GENERAL DISINFECTANT USE:

After routine cleaning, spray any surface suspected of harboring bacteria until damp. Remove excess moisture with a clean cloth. Spray wash basins, mirrors, telephones, table tops, refuse cans, laundry chutes, door knobs, laundry carts, toilet seats, bed frames, bath mats, bath tubs, appliances, urinals, emesis dishes and other objects of general use. Remove excess with clean, dry or damp cloth.

Both Rooms: After routine cleaning of fixtures, spray this Non-Selective Disinfectant on external surfaces of the toilet bowl, seat, lavatory, tub or shower stall.

Shoe Sunitizer Hold can upright 3 to 6 inches from surface. Remove laces, lift tongue of shoe, thoroughly spray the inside as well as the shank and tongue. Allow 10 minutes to dry.

Deodorizing: Spray this product into the atmosphere to remove obnoxious odors such as stale smoke, clocking odors, refuse odors, body odors, etc. Use it frequently to keep your home clean and sanitary.

DO NOT WET VARNISHED OR PAINTED SURFACES EXCESSIVELY BE SURE TO WIPE OFF EXCESS SPRAY.



DIRECTIONS FOR USE ON INSTRUMENTS AND EQUIPMENT IN HOSPITALS, IN-DUSTRY, SURGERY, DENTISTRY AND LABORATORY:

Equipment: Clean articles to be disinfected thoroughly by usual procedure. Spray with Non-Selective Disinfectant. Be sure surfaces are damp with spray, then wipe off excess spray.

Instruments: Clean instruments post-operatively by usual procedure. Spray with this product and wipe off excess spray. Sterilize in usual manner.

## DIRECTIONS FOR USE IN DEODOR! ZING SICK-ROOMS AND WARDS:

Spray three to five sec nds. Do Not Fog Contaminated equipment or utensils should be sprayed directly to control foul odors. Mattresses and pillows should be sprayed lightly for deodorizing. Where rooms become "stuffy" or stale odored a light spraying will "condition" the air nicely. Excellent for use in laboratory or small operating rooms for controlling dors. Should be used daily in all bath rooms to keep air freshly deodorized.

flame Do not use near fire, sparks or flame Do not puncture or incinerate container. Exposure to temperatures above 130° p may cause bursting. This package should not be refilled, but should be discarded after it is empty.

Avoid contamination of food. Avoid getting in eyes. In case foothact, wash her nightly with water. It irritation persists, get medical attention.

- HARMFUL IF SWALLOWED -

THE MULTI-PURPOSE DEODORIZER - GERMICIDE - SANITIZER FOR HOSPITALS, HOTELS, INSTITUTIONS, SCHOOLS, OFFICES, MOTELS, HOMES

A Product of James Varley & Sons, Inc. ST. LOUIS. MO

EPA REGISTRATION NO 421-312

4.11 310









SAMINGE OF SANITOTER FOR HOSPITALS HOTEL FROM THE