

GENERAL WEED CONTROL

CAUTION: Do not treat soil underlaid with roots of desirable plants.

TIMING: For best results, apply when weeds are less than six inches high.

APPLICATION: Mix recommended amounts with water and apply with sprayer or sprinkling can.

PERENNIAL WILD AND GRASS CONTROL: For use on sprayer, mix 1 part with 5 parts water. For sprinkling can application, mix 1 part with 20 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

ANNUAL WILD AND GRASS CONTROL: For use on sprayer, mix 1 part with 10 parts water. For sprinkling can application, mix 1 part with 40 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

PLANT GROWTH PREVENTION: For use on sprayer, mix 1 part with 20 parts water. For sprinkling can application, mix 1 part with 40 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.


DO NOT CONTAMINATE WATER USED FOR IRRIGATION OR DOMESTIC PURPOSES

DO NOT APPLY IN EXCESS OF 50 LBS. ARSENIC TRIOXIDE EQUIVALENT PER ACRE

TREE and STUMP KILLING

FOR TREE KILLING: Mix 1 part with 10 parts water. Apply to foliage, stems, and exposed root crowns.

FOR STUMP TREATMENT: Mix 1 part with 10 parts water. Apply to exposed root crowns.



VARCO

FOUR PLUS FIFTY NON SELECTIVE CONCENTRATE

Recommended For Control of Undesirable
Weed Grass and Other Vegetation

EQUIVALENT TO 4 LBS. OF ARSENIC TRIOXIDE
PER GALLON

ACTIVE INGREDIENTS	
Sodium Arsenite*	42.4%
INERT INGREDIENTS	57.6%
	100 %

*Total Arsenic as Metallic in water soluble form 24.5%



DANGER

POISON



DANGER: KEEP OUT OF REACH OF CHILDREN

See instructions on label and this record
for safe use and disposal of this product.

Another Quality Product of

James Varley & Sons, Inc.

1200 Switzer Avenue • St. Louis, Mo

NET CONTENTS:

Keep away from food and food products, especially children and domestic animals. Keep children, livestock and domestic animals off treated areas until material is washed into the soil. Do not use treated vegetation as food or bedding for livestock. Do not allow spray or spray drift to contact desirable plants.

CALL A PHYSICIAN IMMEDIATELY

DO NOT STORE OR BRING NEAR FOOD
DO NOT ALLOW DOMESTIC ANIMALS TO ENTER
TREATED AREAS

Do not contaminate irrigation water or water used for domestic purposes.

This product is toxic to wildlife. Birds and other wildlife on treated areas may be killed. Do not apply when rain is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

NOTICE TO BUYER

EPA Reg. No. 421-367

GENERAL WEED CONTROL

Use in enclosed industrial areas where plant growth is not wanted.

CAUTION - Do not treat soil underlain with roots of desirable plants.

TIMING: For best results, apply when weeds are less than six inches high.

APPLICATION: Mix recommended amounts with water; and apply with sprayer or sprinkling can.

PERENNIAL WEED AND GRASS CONTROL: For use in sprayer, mix 1 part with 5 parts water. For sprinkling can application mix 1 part with 20 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray mixture.

ANNUAL WEED AND GRASS CONTROL: For use in sprayer mix 1 part with 10 parts water. For sprinkling can application mix 1 part with 40 parts water. Thoroughly wet foliage, stems, and exposed root crowns with spray-mixture.

PLANT GROWTH PREVENTION: To areas intended to be paved after treatment, apply 2 to 3 qts. mixed with 5 or more gallons water, per 100 sq. ft. Do not apply in excess.

DO NOT CONTAMINATE WATER USED FOR IRRIGATION OR DOMESTIC PURPOSES.


DO NOT APPLY IN EXCESS OF 50 LBS. ARSENIC TRIOXIDE EQUIVALENT PER ACRE.

TREE and STUMP KILLING

Mix 1 part with 3 parts water.

FOR TREE KILLING: Cut deep gashes into bark and wood of tree, around tree trunk, 2 to 3 inches apart. Fill each gash with this mixture. For best results, make treatment during spring or early summer.

FOR STUMP TREATMENT: Soak freshly cut surface with this mixture to prevent sprouting.



VARCO

FOUR PLUS FIFTY NON SELECTIVE CONCENTRATE

Recommended For Control of Undesirable
Weed Grass and Other Vegetation

EQUIVALENT TO 4 LBS. OF ARSENIC TRIOXIDE
PER GALLON

ACTIVE INGREDIENTS	
Sodium Arsenite*	42.4%
INERT INGREDIENTS	57.6%
	100 %

*Total Arsenic as Metallic in water soluble form 24.5%



DANGER



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

(See antidote statement and other required
warning statements on the SIDE panel)

Another Quality Product of

James Varley & Sons, Inc.

1200 Switzer Avenue • St. Louis, Mo.

NET CONTENTS:

DANGER POISONOUS IF SWALLOWED

**AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.
MIX THOROUGHLY AFTER USING. AVOID
BREATHING DUST OR SPRAY MIX.**

ANTIDOTE - If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoons of Epsom Salts or Milk of Magnesia in water and plenty of milk or water. Have patient lie down and keep quiet.

CALL A PHYSICIAN IMMEDIATELY

**DO NOT STORE IN OR AROUND THE HOME.
DO NOT ALLOW DOMESTIC ANIMALS TO GRAZE
TREATED AREAS.**

Keep away from feed and food products and out of reach of children and domestic animals. Keep children, livestock and domestic animals off treated areas until material is washed into the soil. Do not use treated vegetation as food or bedding for livestock. Do not allow spray or spray drift to contact desirable plants.

Do not contaminate irrigation ditches or water used for domestic purposes.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE TO BUYER

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 421-368