UNDER THE RECENTL INCLUSION FOR RECINCTION AND RODENTIONSE ACT FOR RECINCIAL PORON REGISTER-ED UNCHER HELLING CONSTRUCT TO ATTACHED CONSTRUCT.

.

walls, t from disinto all rd surrinals: gallons ing, or

edpans ces of

Ś

to all to sed

ion, ¼ n with can.

PYN-A-ROMA DISINFECTANT

Phenol Coefficient 1C by A.O.A.C. Method ACTIVE INGREDIENTS: 53% (1) Isopropyl Alcohol 21.50% (2) Vegetable Oil Soap 11.10% (3) Pine Oil 10.00% (4) Ortho-phenylphenol 6.00% (5) Ortho-benzyl-para-chlorophenol 4.50%

INERT INGREDIENTS: 47%

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes and skin. Avoid contamination of feed and foodstuffs.

(See side panel for further precautions.)

A Product of James Varley & Sons, Inc. ST. LOUIS, MO.

Net Contents:

WARNING: Harmful if swallowed. Causes eye irritation. In case of contact with eyes, wash thoroughly with large quantities of water and get immediate medical attention. May cause skin irritation. In case of contact with skin, wash thoroughly with water and if irritation persists, get medical attention. Avoid inhalation of fumes of undiluted material.

FIRST AID: If swallowed, do not induce vomiting. Give raw egg white, milk, rice gruel or cornstarch paste. Call a physician immediately.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

EPA Reg. No. 421-400

FCR GENERAL DISINFECTING

For general disinfecting of surfaces such as walls, floors and woodwork, remove all filth and dirt from the premises and use a olution of one part disinfectant to 100 parts of water. This mixture acts as a disinfectant against S. typhosa. Apply freely to all surfaces and scrub with a mop, brush or cloth.

In the typhoid sick room, for disinfecting hard surface areas such as bed frames, bed pans and urinals, use one-half cup of the disinfectant to two gallons of water in a mop bucket for mopping, scrubbing or cleaning purposes.

DIRECTIONS FOR USE

FOR THE SICK ROOM: All utensils, such as bed-pans and urinals, wash with a solution \bigcirc of three ounces of disinfectant to 1/2 gallor \ll of water.

WATER CLOSETS and URINALS: Use 3 ounces of disinfectant to a gallon of water. .apply freely to all surfaces to be disinfected and scrub the exposed areas.

GARBAGE: To deodorize, sprinkle with solution, one-half cup to a gall of water. Wash the empty can with som the solution and leave the wash in can.


PYN-A-ROMA DISINFECTANT Phenol Coefficient 5 by A.O.A.C. Method **ACTIVE INGREDIENTS: 26.5%** (1) Isopropyl Alcohol (2) Soap 1972 (3) Pine Oil (4) Orthophenyl phenol (5) Orthobenzyl para-chlorophenol 06 CCT **INERT INGREDIENTS: 73.5%** (1) Water **CAUTION:** Keep Out Of Reach Of Children (See side panel for further cautions)

Net Contents:

AVOID CONTAMINATION OF FEED AND FOODSTUFFS **AVOID CONTACT WITH EYES RINSE EMPTY CONTAINER WITH WATER AND DISCARD**



A Product of James Varley & Sons, Inc. ST. LOUIS, MO.



AVOID CONTAMINATION OF FEED AND FOODSTUFFS AVOID CONTACT WITH EYES RINSE EMPTY CONTAINER WITH WATER AND DISCARD

Net Contents:



A Product of James Varley & Sons, Inc. ST. LOUIS, MO.

DIRECTIONS FOR USE

This disinfectant can be used many places where clean and sanitary quarters are desired. A partial list of places using this type of disinfectant follows: Hotels, schools, institutions, office buildings, factories, jails, public buildings, railroad terminals, theatres, stores, sanitariums.

Every batch is tested for germicidal strength in a modern bacteriological laboratory - but before these tests are made the raw materials are checked in our chemical laboratories - and the finished product is then double checked.

CAUTION: Harmful if swallowed. Causes eye irritation. Avoid getting in eyes. Avoid prolonged skin contact. In case of contact with eyes, wash thoroughly with water. If eye irritation persists, get medical attention.

FIRST AID: If swallowed, do not induce vomiting. Give raw egg white, milk, rice gruel or cornstarch paste. Call a physician immediately.

EPA Registration No. 421-409