

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry this quaternary ammonium cleaner-disinfectant is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, this quaternary ammonium cleaner-disinfectant will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odors when used as directed.

This product is economical to use because it is highly concentrated and should be handled with care.

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.


CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

EPA Registrant No. 421-434
EPA Establishment No. 421-MO-1



**#25 QUATERNARY AMMONIUM
CLEANER-DISINFECTANT**

Highly Concentrated Germicide Based on a Unique Blend of Quaternaries with Organic Soil Load Tolerance

• Disinfectant-Cleaner - Sanitizer-Fungicide
• Mildewstat-Virucide* - Deodorizer for Hospitals
• Institutional and Industrial Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₂ , 50%; C ₁₄ , 40%; C ₁₆ , 10%)	
Dimethyl Benzyl Ammonium Chloride	5.000%

Net Ingredients

87.500%
100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for 5 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

A Product of *James Varley & Sons, Inc.* ST. LOUIS, MO.

Net Contents

LE

#25 QUATERNARY AMMONIUM CLEANER-DISINFECTANT

Highly Concentrated Germicide Based on a Unique Blend
of Quaternaries with Organic Soil Load Tolerance

Disinfectant-Cleaner - Sanitizer-Fungicide
Mildew-Static Virucide* — Deodorizer for Hospitals
Institutional and Industrial Use

Ingredients		
Octyl Decyl Dimethyl Ammonium Chloride	3.750%	
Dioctyl Dimethyl Ammonium Chloride	1.875%	
Didecyl Dimethyl Ammonium Chloride	1.875%	
Alkyl (C ₁₂ , 50%; C ₁₄ , 40%; C ₁₆ , 10%)		
Dimethyl Benzyl Ammonium Chloride	5.000%	
Ingredients	87.500%	
	100.000%	

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against respiratory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

A Product of *James Varley & Sons, Inc.* ST. LOUIS, MO.

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This quaternary ammonium cleaner-disinfectant is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-virucide in the presence of moderate amounts of organic soil.

Apply this quaternary ammonium cleaner-disinfectant to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - To disinfect hard, non-porous surfaces, add ½ oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, this quaternary ammonium cleaner-disinfectant is also virucidal and fungicidal.

Sanitizing - To sanitize porous or non-porous, non food contact surfaces, add ¼ oz. per gallon of water.

½ oz. per gallon use-level. The broad spectrum activity of this quaternary ammonium cleaner-disinfectant has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test.

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella Choleraesuis
Escherichia coli
Klebsiella pneumoniae

Enterobacter aerogenes
Salmonella schottmuelleri
Streptococcus faecalis
Shigella dysenteriae
Brevibacterium ammoniagenes

AOAC Fungicidal Test

This quaternary ammonium cleaner-disinfectant is effective against *Trichophyton mentagrophytes* (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, shower and bath areas, exercise areas, dressing rooms, etc.

Mildewstatic Performance. At ½ oz./gallon, this quaternary ammonium cleaner-disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performance

*At ½ oz. per gallon use-level, this quaternary ammonium cleaner-disinfectant was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and influenza A₁ (the Hong Kong flu virus) on inanimate environmental surfaces.

Sanitizing-Non-Food Contact Surfaces (such as floors, walls, tables, etc.) At 1/3 oz. per 2 gallon use-level, 30 second contact time, this quaternary ammonium cleaner-disinfectant is an effective sanitizing agent in waters of up to 600 ppm hardness against *Staphylococcus aureus* and *Klebsiella pneumoniae* in the presence of 5% serum on porous and non-porous environmental surfaces.

4/82

Contents

LE