

[430-18]

DURHAM'S

5% MALATHION DUST



RED SPIDER



SPIDER MITE



BAGWORM



BEAN BEETLE



APHID



LEAF HOPPER

5% Malathion Dust

WARNING: KEEP OUT OF REACH OF CHILDREN

See Antidote and Other Warnings on Back Panel.

CONTROLS

Aphids, Red Spider, Mexican Bean Beetle, Leaf Hopper, Pea Aphids, Tomato Russet Mite, Cabbage Worm, Bag Worms on Ornamentals.

ACTIVE INGREDIENTS: Malathion (O, O - Dimethyl Dithiophosphate of Diethyl Mercaptosuccinate) . . . 5%
INERT INGREDIENTS 95%

NET WEIGHT 1 POUND

USDA REGISTRATION NO. 430-18

DIRECTIONS

Apply dust thoroughly to plant, dusting leaves on upper and lower sides. Best results are obtained when the temperature is above 65°. Repeat dusting after rain.

BEANS: For the control of Mexican Bean Beetle, Aphids, Red Spiders and Leaf Hopper. Make two or more applications as needed with no application later than three days before harvest.

PEAS: For the control of Pea Aphids on Peas, make one or more applications, with no application later than three days before harvest.

POTATOES: For the control of Aphids and Leaf Hoppers on Potatoes, make one or more applications with no application later than three days before harvest.

TOMATOES: For the control of Spider Mites, Aphids and Tomato Russet Mite on Tomatoes, make one or more applications with no application later than three days before harvest.

BROCCOLI, CABBAGE, KALE, MUSTARD, TURNIP: For the control of Aphids, Imported Cabbage Worm and Cabbage Looper, make one or more applications with no application later than seven days before harvest.

CAUTION: This product is poisonous to fish. Keep out of lakes, ponds and streams. Use only as directed on label.

ORNAMENTALS: For the control of Aphids, Red Spiders, and Bag Worms, make one or more applications as necessary with thorough coverage.

CAUTION: Injury may occur on certain ferns including Boston, Maidenhair and Pteris as well as some species of Crassula. Avoid prolonged breathing of Dust. Avoid repeated or prolonged contact with skin. Wash thoroughly. Keep out of reach of children. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion, upon repeated, prolonged or careless use may cause cholinesterase inhibition. Atropine is antidotal.

NOTICE TO BUYER

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Do not reuse container. Destroy when empty.

NOV 16, 1971

51 25