



73% Chlordane Emulsifiable Concentrate

Contains 8 Lbs. Chlordane Per Gallon

ACTIVE INGREDIENTS:

*Technical Chlordane	73%
Petroleum Distillates	22%
INERT INGREDIENTS	5%

*Equivalent to 43.8% octachloro-4, 7-methanotetrahydroindane plus 29.2% related insecticidal compounds.

CONTENTS 8 FL. OZS.

DIRECTIONS FOR USE will be found in the small booklet attached to this bottle. If booklet is lost or if additional copies are needed write Durham's Drug Products, Comanche, Texas 76442, and they will be mailed promptly. **WARNING:** Do not use on humans or cats. Contact with skin can cause toxic symptoms. Avoid inhalation of spray mist and skin contact. In case of spillage on skin wash immediately with soap and water. Avoid contamination of feed or food stuffs. Harmful if swallowed. Call a physician immediately. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. ~~430-27~~ Reg. No. 430-27

DURHAM'S
73% CHLORDANE
Emulsifiable
Concentrate

Contains 9.75% Chlordane Per Gallon

WARNING: Keep Out of
Reach of Children

See Other Warnings On Back Page

ACTIVE INGREDIENTS:

*Technical Chlordane	73%
Petroleum Distillates	22%
INERT INGREDIENTS	5%

*Equivalent to 43.8% octachloro-4,7-naphthalotetrahydroindane plus 29% related insecticidal compounds.

DURHAM'S DRUGS PRODUCTS CO.
Comanche, Texas

SUBTERRANEAN TERMITES

Apply under the building with sufficient solution made by mixing a pint of 73% Chlordane Emulsifiable Concentrate with 15 gallons of water or 3 pounds to 5 gallons of water to soak the ground well. Dig a trench one foot deep around the building in these proportions at the foundation and apply 2 gallons of the above solution to each 5 lineal feet in trench along the outside wall including entrance porch and all porches—where the foundation is over 15 to 18 inches deep apply 16 ounces deep apply 4 gallons of solution to each 5 lineal feet in trench. Make trench 30 inches deep on all sides with deep foundations and check at intervals for reinfestation.

PLUM CURCULIO
ON PEACHES AND PLUMS

Use at the rate of one pint of 73% Chlordane Emulsifiable Concentrate to one gallon of water and spray thoroughly as usual. Begin to spray at the early application and repeat at 10 to 14 day intervals until all leaf buds are open and most of the fruit has developed. This material is not effective against the fruit.

ACCEPTED
8-18-72
4, 3 - 7
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

DURHAM'S

WARNING

Do not use Chlordane liquid or 73% concentration on humans or cats. Contact with the skin can cause toxic symptoms. Avoid breathing spray mist and skin contact. In case of spillage on skin, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Poisonous if swallowed—call a physician immediately.

KEEP OUT OF THE REACH OF CHILDREN.

NOTE: Buyer assumes all risk for use, storage or handling of this material not in strict accordance with directions given herewith.

Do not reuse empty container. Crush bottle and bury or discard in a safe place.

Reg. No. 430-27

Do Not Use, Pour, Spill or Store Near Heat or Open Flame.

LAWNS - WHITE GRUBS

To control ants, chiggers, sod worms or lawn moths, lawn chinch bugs, fall army worms, mole crickets, ticks, fleas, sow (pill) bugs wet the grass thoroughly with a mixture of 1 quart of 73% Emulifiable Chlordane Concentrate in sufficient water to cover 1 acre of land for 1 tablespoonful of 73% Chlordane dissolved in 1 gallon of water—using 1 gallon of this mixture to each 1,000 square feet of lawn. Water lawn before each treatment and do not water for several days thereafter.

To control WHITE GRUBS, LAWN TERMITES and CUT WORMS wet the grass thoroughly with a mixture of 10 pints of 73% Emulifiable Chlordane in sufficient water to cover 1 acre for 8 tablespoonfuls of 73% Chlordane Concentrate in enough water to completely cover 1,000 square feet, following the method of application set forth above.

WARNING: Keep children and pets off of the treated areas until the insecticide has been washed into the soil and the treated areas have dried.

ACCEPTED

4-18-72

430-27

**UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR EXTENSIVE TOXIC POISON REGISTERED
UNDER NO.**

7000000000