

DURHAM'S

FLEA & TICK SPRAY

For Use On Cats and Dogs and On Premises
To Control Fleas and Ticks

An Aqueous, Stable, Micro Emulsion

ACTIVE INGREDIENTS:

Pyrethrins 0.06%
*Piperonyl Butoxide, Technical 0.60%

INERT INGREDIENTS: 99.34%
100.00%

*Equivalent to 0.48% (butylcarbityl)(6-propylpiperonyl)
ether and 0.12% related compounds.

PYRENONE - Registered Trademark of Fairfield
American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

NET CONTENTS: ONE QUART

EPA Reg. NO. 430-54

EPA est. No. 430-TX-1

DURHAM'S DRUG PRODUCTS COMPANY
BROWNWOOD, TEXAS 76801

EPA 430-54

1 7 0 6

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a
manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

ON PETS

Start spraying at the tail, moving the dispenser rapidly
and making sure that the animal's entire body is
covered, including the legs and under body. While spray-
ing, fluff the hair so that spray will penetrate to the skin.
Make sure spray wets thoroughly. Do not spray into eyes
or face. Repeat as necessary.

ON PREMISES

To control fleas and brown dog ticks on premises:
Thoroughly spray infested areas, pet beds, resting
quarters, nearby cracks and crevices, along and behind
baseboards, mouldings, window and door frames, and
localized areas of floor and floor covering. Fresh bed-
ding should be placed in animal quarters following treat-
ment. Concurrent treatment of animals is recommend-
ed. Repeat treatment as needed.

DISPOSAL

Do not reuse container. Wrap container in several layers
of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid
contact with skin. Wash contaminated skin promptly
with soap and water. Avoid spraying food or foodstuffs.
Remove birds and cover fish aquariums before spraying.
Buyer assumes all risks of use, storage or handling of
this material not in strict accordance with directions
given herewith.



FRAN
1705

K SPRAY

On and On Premises
and Ticks

Micro Emulsion

.....	0.06%
.....	0.60%
.....	99.34%
.....	100.00%

(6-propylpiperonyl)
sulfate
a trademark of Fairfield

SAFE FOR CHILDREN
ON

Additional precautions

ONE QUART
EPA est. No. 430-TX-1

FACTS COMPANY
EPA Reg. No. 430-54

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

ON PETS

Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and under body. While spraying, fluff the hair so that spray will penetrate to the skin. Make sure spray wets thoroughly. Do not spray into eyes or face. Repeat as necessary.

ON PREMISES

To control fleas and brown dog ticks on premises: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals is recommended. Repeat treatment as needed.

DISPOSAL

Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin. Wash contaminated skin promptly with soap and water. Avoid spraying food or foodstuffs. Remove birds and cover fish aquariums before spraying. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

