

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
430-56

DATE OF ISSUANCE
NOV 27 1985

TERM OF ISSUANCE

NOTICE OF PESTICIDE:

REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Durham's General Purpose
Insecticide

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Durham's Drug Products Company
2815 Stephen L. Austin Drive
Brownwood, TX 76801

160 | 156488

18 | 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(2)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 430-56."
 - b. We note that the stabilizer mentioned under corrosion characteristics (Product Chemistry) differs from that found in your formulation. Confirm that there are no corrosion problems in the presence of the stabilizer you are using. Stipulate which stabilizer you are using.
 - c. On the Confidential Statement of Formula (CSF) indicate what diluent you are using. It was apparently omitted from the CSF. In addition, be certain to align the percentage values with the corresponding "Purpose in formulation." It is confusing the way it presently appears on the CSF.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

11-27-85

P145
6

d. Update the label Pesticide Disposal statement per PR 83-3 indicating:
"Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

PHS
6

DURHAM'S
GENERAL PURPOSE
INSECTICIDE

EPA REG. NO. _____ EPA EST. NO. 430-

A Concentrated PYRENONE* Micro Emulsion
— Clear — Stable — Leave no oily or objectionable residues
Effective, Fast Acting Insecticide
For use in homes, institutions, restaurants
Food Processing Plants, dairies, livestock and outdoors for mosquito control
For control of fleas and brown dog ticks on premises and on pets
Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	1.0%
INERT INGREDIENTS	98.9%
	100%

*Equivalent to min. 0.8% (butylcarbyl) (6-propylpiperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See back panel for additional cautions.

DO NOT TRANSPORT OR STORE UNDER 32°F.

BATCH

ACCEPTED with COMMENTS in EPA Letter Dated

NOV 27 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended by the FIFRA Act of 1972, the pesticide NEW YORK STATE EPA has the number 430-56

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION

The use of this product in food processing establishments should be confined to routine pest control operations. Food should be removed or covered during treatment. All food processing equipment should be thoroughly cleaned with potable water before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SURFACE SPRAYING: To control cockroaches, palmto bugs, ants, silverfish, spiders, crickets, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetle, beetles, drugstore beetles, meal worms, grain mites and caddises: Use a good sprayer adjusted to spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails. For surface application only is to be used, spray floors and other surfaces applying a rate of 1 gallon per 1000 cubic feet of space.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed. To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters along and behind baseboards, moldings, window and door frames, and entire areas of floor and bedding should be placed in animal quarters following treatment. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from articles.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, moths, Mediterranean flour moths, Indian meal moths, and tobacco moths: Direct spray at an updraft uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space.

FOGGING: To kill exposed or accessible stages of the above named crawling insects, use a rate of 1-2 cubic feet of space. Contact insects directly whenever possible.

ON LIVESTOCK: To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply to wet the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of 1-2 ounces per 1000 cubic feet of space. Repeat treatment daily or at intervals necessary to control.

To control blood-sucking lice, apply to the infested areas of the animal, using a stiff brush to get into the hair. Repeat every 2 to 3 weeks if required.

ON PETS: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Do not spray into eyes or face. Avoid contact with genitalia. Repeat as necessary.

OUTDOOR APPLICATION
ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may be present. Apply at a rate of 2.5 pints per acre (0.1 ounce per 1000 cubic feet of space). Using truck-mounted conventional misting equipment such as Rotomist® models 51C, 91 or 100, treat a 300 foot swath calibrate equipment to deliver 0.9 gallon per minute.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, or other suitable material. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label should be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cove spraying or surface applications.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Clean equipment or dispose of wastes.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with label.