

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON DC 20460

Dr. C'

OFFICE OF PREVENTION PESTICIDES AND TOXIC SUBSTANCES

MAR 31 1999

Ms Sharon Johnston AgrEvo Environmental Health 95 Chestnut Road Montvale, NJ 07645

Dear Ms Johnston

Subject Amendment - revise label to match source product
Pramex Technical Insecticide
EPA Registration No 432-551
Your Submissions Dated February 16 and March 11, 1999

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, and a copy of a stamped label is enclosed for your records

Sincerely yours,

George T LaRocca Product Manager (13)

Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

### PRAMEX® TECHNICAL Insecticide

AN INSECTICIDE FOR FORMULATING USE ONLY
NOT FOR RESALE UNDER THIS LABEL

#### **ACTIVE INGREDIENT**

Permethrin (3 Phenoxyphenyl)methyl(±) cis trans 3 (2 2 dichloroethenyl) 2 2 dimethylcyclopropanecarboxylate 95 20° 6 OTHER INGREDIENTS 95 20° 6 100 00 6

Cis trans ratio Min 35 () cis and max 65 () trans

EPA Reg No 432 551

**EPA Est No** 


# CAUTION FIRST AID

If Swallowed Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention If On Skin. Wash with plenty of soap and water. If In Eyes. Flush with plenty of water. Get medical attention if irritation persists.

See Side Panel for Additional Precautions

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale NJ 07645

**NET CONTENTS** 



IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES OR IN CASE OF FIRE LEAKING OR DAMAGED CONTAINERS INFORMATION MAY BE OBTAINED BY CALLING 1 800 471 0660

FOR PRODUCT INFORMATION CALL TOLL FREE 1 800 331 2867

## PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals Caution

Harmful if swallowed or absorbed through skin A roid contact with skin leyes or clothing. Wash thoroughly after handling

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish. Keep out of lakes streams ponds tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### Physical or Chemical Hazards

Do not use or store near heat or open flame

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Formulators using this product are responsible for obtaining EPA registration for their formulated product which may be labeled for the use patterns as found listed on this label

Only for formulation into an insecticide for the following uses

#### 1 Food Crops (Domestic Outdoor Only)

Alfalfa Lea
Almonds Mus
Apples Oni
Artichokes Pap
Asparagus Per
Asparagus fern Per
Avocados Pep
Chernes Pis
Cole Crops¹ Po
Cucurbit Vegetables² Rai
Eggplant Soy
Field Corn/Popcorn/ Sw

Cucurbit Vegetables' Eggplant Field Corn/Popcorn/ Seed Corn Filberts Horseradish Leafy Vegetables<sup>3</sup>
Mushrooms

Onions (Dry Bulb & Garlic)
Papaya (FL only)
Peaches
Pears
Peppers Bell
Pistachios
Potatoes

Range Grass (N only) Soybeans Sweet Corn

Sweet Corn Tomatoes Turnips Walnuts <sup>1</sup> COLE CORPS: Broccoli, Chinese broccoli, Brussels, sprouts, cabbage, Chinese cabbage, cauliflower, collards, kale, kohlrabi, mustard greens and rape greens

<sup>2</sup> CUCURBIT VEGETABLES: Chayote (fruit); Chinese waxgourd (Chinese preserving melon); citron melon; cucumber; gherkin; gourds, edible (includes hyotan, cucuzza, hechima. Chinese okra); Momordica spp. (includes balsam apple, balsam pear, bitter melon, Chinese cucumber); muskmelons, including hybrids such as true cantaloupe, cantaloupe, casaba, crenshaw, golden pershaw melon, honeydew melons, honey balls, mango melon, Persian melon, pineapple melon, Santa Claus melon, snake melon); pumpkin; squash, summer (includes crookneck squash, scallop squash, straightneck squash, vegetable marrow, zucchini) and winter (butternut squash, calabaza, hubbard squash, acorn squash, spaghetti squash); watermelon, including hybrids.

<sup>3</sup> LEAFY VEGETABLES (Except Brassica): Amaranth (leafy amaranth, Chinese spinach, tampala); arrugala (roquette); cardoon; celery; Chinese celery; celtuce; chervil; corn salad; chrysanthemum, edible-leaved; chrysanthemum, garland; cress, garden; cress, upland (yellow rocket, winter cress); dandelion; dock (sorrel); endive (escarole); fennel, Florence; lettuce (head and leaf); orach; parsley; purslane, garden; purslane, winter; radicchio (red chicory); rhubarb; spinach; spinach, vine (Malabar spinach, Indian spinach); spinach, New Zealand; Swiss chard.

#### 2. Terrestrial Nonfood:

Christmas Trees (container & field-grown) Chrysanthemums Conifers (container & field-grown) Ornamentals / Nursery Stock (field-grown) Pine Seed Orchards Roses (field-grown & greenhouse)

3. Domestic Farm Animals:

Cattle Horses Hogs Poultry

- 4. Agricultural Premise
- 5, Companion Animals
- 6. General Outdoor Insect Control
- 7. General Indoor Insect Control

Food/Feed Handling Establishments: Places other than private residences in which food/feed is held, processed, prepared or served.

Nonfood/feed Areas: May be used to manufacture end-use products for use as a general spot or crack and crevice treatment in nonfood/feed areas. Similar areas where insects hide or through which insects may enter can be treated. Examples of nonfood/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food/Feed Areas: May not be used to manufacture products for use in food/feed areas. Do not use in food areas of food handling establishments. restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. IN the home. all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Examples of food areas are areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

#### 8. Fiber Product Protection

NOTE: Not for use to formulate products to be used in warehouses where raw or cured tobacco is stored or while raw agricultural commodities for food or feed are stored, or in greenhouses where crops for food or feed are grown.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Keep container closed when not in use. Do not store near food or feed. Protect from freezing. IN case of spill or leak on floor or paved surfaces, soak up with sand, earth or synthetic absorbent. Remove to chemical waste area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

#### WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, express or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. the buyer must assume all responsibilities, including injury or damage, resulting from its misuse as such, or in combination with other materials.