NET WT.

# YOUR BRAND

## SBP-1382 AQUEOUS PRESSURIZED

### SPRAY INSECTICIDE 0.25

### FOR HOUSE AND GARDEN

#### **ACTIVE INGREDIENTS:**

\*t(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-

(2-methylpropenyl)cyclopropane carboxylate

Related compounds

0.034%

0.332%

Aromatic petroleum hydrocarbans **INERT INGREDIENTS:** 

100.000%

\*Cis trans isomers ratio; max, 30% (+)cis and min, 70% (+)trans. † U. S. Patent No. 3,465,007.

SHAKE WELL BEFORE USING

### CAUTION: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Do not use on edible crops.

WARNING: Contents under pressure. Do not puncture. Do not expose container above 120°F. Never throw container into fire or incinerator.

#### DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to sp

#### INDOORS - FOR HOUSEFLIES, MOSQUITOES, AND GNATS:

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the 100m, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

#### INDOORS - FOR CRAWLING INSECTS:

Roaches, earwigs, grain mites, sowbugs, spiders and centipedes; Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry, Spray on ants where possible. Repeat as necessary,

FEES: Restact date and cats from flags by exercise 18 inches from area to be treated. Apply coray at the rate of two exceeds pe costing areas and floor around these areas. Treat bedding the same

Also, treat dogs and eats with a registered product before they re-enter the

#### OUTDOORS - TO KILL FLYING INSECTS:

Spray areas infested with mosquitoes, gnats (midges), houseflies, biting flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary,

#### OUTDOORS - TO PROTECT ORNAMENTAL PLANTS:

To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle \_\_\_\_\_\_\_ on smaller rhododendrons, pines, spruce, hemłock, spirea, dogwood, palm, mimosa, toyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea; and mimosa webworm farvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips. adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

#### INDOORS - TO PROTECT HOUSE PLANTS:

Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests, Repeat application as necessary.

#### OUTDOORS - TO CONTROL NUISANCE PESTS:

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for indoor use.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary,

EPA Reg. No. 432-452

### PROPOSED AMENDMENT TO PRESENT LABEL FOR FLEA CONTROL ON PETS

First delete the flea control directions for applications on resting areas as stated on our present label under E.P.A. Reg. No. 432-452.

Next add the following directions to cover applications on animals and on their resting areas. This should be placed under a new heading and read as follows:

#### ANIMAL PESTS

DOG, CATS - Fleas - Apply directly to animals along back, under forelegs and on other areas. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes, ears, or mouth of animal. To reduce reinfestation, thoroughly spray the animals bedding and other resting areas. Treat these areas at the rate of two seconds per linear foot while spraying at a distance of 12 to 18 inches. Also spray entire inside surface of dog houses. Repeat as necessary.

ACCEPTED

DEC 19 1973

Under the letter of the Act functione and bleem the Act for economic poison registered under No.