


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 187739
	Application for Pesticide:		
	Section I		

1. Company/Product Number 432-452	2. EPA Product Manager J. Tavano	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SBP-1382 Insecticide Aqueous Pressurized Spray 0.25% For H & G	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised Environmental Hazards Statement as per PR Notice 93-3.

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-3
DATE: 7/1/93


BEST AVAILABLE COPY

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sharon M. Johnston	Title Registration Specialist	Telephone No. (Include Area Code) (201) 307-9700

<p style="text-align: center;">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Sharon M. Johnston	5. Date 7-1-93	

2076

SBP-1382® INSECTICIDE AQUEOUS PRESSURIZED SPRAY FOR HOUSE AND GARDEN

Authorized by USDA for use in edible product areas of official establishments operating under The Meat Inspection, and Egg Products Inspection Program.

ACTIVE INGREDIENTS:

•Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.25% w/w
 INERT INGREDIENTS: 99.75%
 100.00% w/w

Cis/trans isomers ratio max. 30% (±)cis and min. 70% (±)trans.
 Rousset Uclaf's SBP-1382® brand of resmethrin insecticide.
 Rousset Uclaf Corp., 95 Chestnut Ridge Road, Morvale, N.J. 07845

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
 To the user: if you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing contact with skin and eyes. Wash thoroughly with soap and water. Do not apply directly to food. In commercial food handling facilities and food processing equipment during application. Do not spray under way. After space spraying in meat packing plants, bakeries, plants wash all equipment, benches, shelving, etc., where used thoroughly with an effective cleaning compound and rinse with water. Food processing surfaces and utensils should be covered or washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT
 If in eye or on skin: Flush with plenty of water. Get medical attention.

ENVIRONMENTAL HAZARDS
 This pesticide is highly toxic to fish. For terrestrial uses, do not apply where surface water is present or to intertidal areas below the mean high tide line. Runoff from treated sites may be hazardous to fish in adjacent water bodies when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS
 Contents under pressure. Do not use or store near heat or open flame. Do not incinerate container. Exposed to temperatures above 130°F (50°C). Do not apply this water based product in conduits, motor housings or other electrical equipment because of possible shock hazard. Can be harmed or stained by water.

SHAKE WELL BEFORE USING

EPA Est.: See Lot No. For Correlation
 EPA Reg. No. 432-452 A 42545-MO-1 P-12/11/89
 F 10370-TX-1 P 655-GA-1

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with these directions.

STORAGE: Keep in a locked storage container.
CONTAINER DISPOSAL: Replace cap and discard.

NET WEIGHT:

NOTICE: Buyer assumes all responsibility for safety and use of this product.

ROUSSEL UCLAF
 Rousset Uclaf Corporation
 95 Chestnut Ridge Road
 Morvale, N. J. 07845

NOTIFICATION LABEL NOT REVIEWED PER FR NOTICE 88-8
 DATE: 7/1/93

DIRECTIONS FOR USE continued on reverse

For use in and around hotels, motels, homes, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk, cheese and ice cream plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS

FOR HOUSE FLIES, MOSQUITOES, GWATS, FLYING MOTHS (MILLIERS), FRUIT FLIES AND VINEGAR FLIES: Close all doors and windows. Point nozzle upward; direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

FOR CRAWLING INSECTS: COCKROACHES (Waterbugs), EARWIGS, GRAIN MITES, SOWBUG (Pillbugs), SILVERFISH (Firebrats), SPIDERS, CENTIPEDES, MILLIPEDES, FLEAS, ANTS, BOOKLICE AND CRICKETS: Spray thoroughly and frequently into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, door frames, bookcases and storage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL ANTS - INCLUDING FIRE ANTS: Spray doors, around window frames, and other points of entry. Spray ant trails, nests, and hills contacting as many ants directly as possible.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on beds, beds, and sofas. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS AND TICKS ON DOGS, CATS AND PREMISES: Apply directly to animals along back, under forelegs, and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about 1 foot (30 cm) away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of 2 seconds per linear foot (30 cm) at a distance of 12 to 18 inches (30 to 46 cm). Also spray the entire inside surface of dog houses.

Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

TO PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, begonias, geraniums and coleus for control of aphids, exposed thrips, adult whiteflies, spider mites, and fungus gnats. Use with caution. To ascertain possible phytotoxicity, spray only a few plants, wait 24 hours, and check for possible injury.

FOR PROTECTION OF WOOLENS: Apply only to garments, blankets, carpets, and other woolen fabrics before placing in storage for protection from larvae of webbing clothing moths and black carpet beetles.

Dry clean or wash garments and blankets before treating. Clean carpets, draperies and other fabrics by thoroughly brushing before treating.

Hold the container 14 to 18 inches (30 to 46 cm) from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering one foot (30 cm) per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of 2 seconds per linear foot (30 cm).

When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors. If application is made indoors do not remain in treated area. Ventilate the area after treatment is complete.

OUTDOORS

TO KILL FLYING INSECTS: Spray areas infested with mosquitoes, gnats (midges), house flies, stable flies, deer flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches (46 to 61 cm) from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard (0.76 cu. m) of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

TO PROTECT ORNAMENTAL PLANTS: To control aphids, exposed thrips, adult whiteflies, leafhoppers, gypsy moths, plant bugs, spittlebugs and Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spruce, dogwood, palm, mimosa, loyol, viburnum, euonymus, oaks, maples, locust, Forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches (46 cm) from the infested plants. Spray in short bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all

sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatsihedera, ivy, lobelia, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

TO KILL TENT CATERPILLARS: Application should be made when caterpillars are young and tents are first noticed (usually late spring). For best results, spray in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.

TO KILL GYPSY MOTH CATERPILLARS: Application should be made when caterpillars are young and first noticed (usually late spring). Spray plants evenly to the point of run-off, applying to both sides of leaves and other areas of plants where insects are suspected. For dense evergreens and shrubs, be sure spray reaches interior leaves and branches.

TO CONTROL NUISANCE PESTS: CRICKETS, SILVERFISH, EARWIGS, SOWBUGS, CENTIPEDES AND MILLIPEDES: Same as directed above for indoor use.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FIRE ANTS: Kill and temporarily reduces annoyance of these insects. To reduce annoyance from these ants and keep them from entering homes, spray patios, barbecue areas, driveways, door sills, window sills, other entrance areas, foundations of buildings, ant trails, around pools and areas where the ants are noticed. Spray until the area is wet contacting as many insects as possible. This treatment will not kill the colonies, but will reduce the immediate population for up to four hours. Repeat as necessary. Avoid contacting plants, shrubbery and large areas of lawns.

FLEAS AND TICKS: Same as directed for indoor use.

SPIDERS (Including Black Widow and Brown Recluse): Direct short bursts of spray on spiders and repeat as necessary.

WASPS, HORNET, YELLOW JACKETS AND BEES: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.



Mr. J. Tavano
May 19, 1993

<u>Product Name</u>	<u>EPA Reg. No.</u>
SBP-1382 Insecticide Aqueous Pressurized Spray 0.25%	432-452
SBP-1382 insecticide Aqueous Pressurized Spray 0.35% For House & Garden	432-454
SBP-1382 Pressurized Spray Insecticide 0.25%	432-455
SBP-1382 Insecticide Liquid Spray 0.1% Formula I	432-456
SBP-1382/Bioallethrin Aqueous Pressurized Spray For House & Garden	432-482
SBP-1382 Aqueous Pressurized Spray Insecticide 0.25 (PD 6.5) For House & Garden	432-492
SBP-1382 Oil Base Insecticide 0.20%	432-504
24.3% SBP-1382 - 2 E.C.	432-505
SBP-1382/Bioallethrin (0.20% + 0.20%) Aqueous Pressurized Spray For House and Garden	432-509
SBP-1382/Bioallethrin Aqueous Pressurized Spray (PD 6.5) for House & Garden	432-536
SBP-1382 Insecticide Transparent Emulsion Spray 0.35%	432-543
UltraTEC Insecticide with SBP-1382 Transparent Emulsion Dilutable Concentrate 2%	432-544
SBP-1382 Insecticide Transparent Emulsion Spray 0.25%	432-548
SBP-1382 Liquid Insecticide Spray 0.5% Formula I	432-558
SBP-1382/Pyrethrins/Piperonyl Butoxide Transparent Emulsion Spray 0.08% + 0.02% + 0.02%	432-559
SBP-1382/Bioallethrin/Piperonyl Butoxide Aqueous Pressurized Spray House & Garden Insecticide 0.1% + 0.2% + 0.8%	432-594
SBP-1382/Bioallethrin Insecticide Transparent Emulsion Spray 0.14% + 0.11%	432-599
SBP-1382/Bioallethrin (0.10% + 0.25%) Aqueous Pressurized Spray	432-603
SBP-1382 Insecticide Emulsifiable Concentrate 26% Formula I	432-605
3-6-10 Fogging Concentrate	432-611
Pyrethrins/Piperonyl Butoxide Concentrate 5% - 25%	432-612
SBP-1382 Micro-Min Insecticide Spray 0.5% with Mineral Oil	432-613
CROSSFIRE APS 1 with SBP-1382/Esbiothrin/Piperonyl Butoxide 0.20% + 0.10% + 0.40%	432-626
CROSSFIRE APS 2 with SBP-1382/Esbiothrin/Piperonyl Butoxide 0.2% + 0.4% + 1.6%	432-627
CROSSFIRE APS 3 with SBP-1382/Esbiothrin/Piperonyl Butoxide 0.20% + 0.20% + 0.80%	432-631
SBP-1382 Liquid Insecticide Spray 0.5%	432-634
SBP-1382 3% Multipurpose Spray Formula III	432-635
SBP-1382 Oil Base Insecticide 0.20% Formula III	432-638
SBP-1382 Liquid Insecticide Spray 0.25% Formula III	432-639
SBP-1382 Pressurized Spray Insecticide 0.15% Formula III For Wasps and Hornets	432-640
SBP-1382 Insecticide Pressurized Spray 0.25% Formula III For Wasps and Hornets	432-641
Scourge insecticide with SBP-1382/Piperonyl Butoxide 18% + 54% MF Formula II	432-667
UltraTEC Insecticide with Pyrethrins/Piperonyl Butoxide Transparent Emulsion Dilutable Concentrate 2.25% + 22.5%	432-685
Pyrethrins/Piperonyl Butoxide Transparent Emulsion Spray 0.1% + 1.0%	432-688
Pyrethrins/Piperonyl Butoxide Transparent Emulsion Spray 0.15% + 1.5%	432-690
SBP-1382/Bioallethrin/Piperonyl Butoxide Insecticide Aqueous Pressurized Spray 0.35% + 0.10% + 0.40%	432-722