

PM 17 432 455
1-26-90

SBP-1382® PRESSURIZED SPRAY INSECTICIDE 0.25%

**A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS:
WASPS, HORNETS, YELLOW JACKETS, BEES, ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES,
SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES, AND TENT CATERPILLARS**

Reviewed. Registered in accordance with
Registration of Pesticides
EPA Reg. No. 432-455-1

JET STREAM UP TO 12 FOOT RANGE
Dielectric Strength-Non-Conducting up to 26,500 volts

ACTIVE INGREDIENTS:

*Resmethrin[(5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate]..... 0.250% w/w
Petroleum Distillate..... 11.375%

INERT INGREDIENTS: ** 99.75% 88.375%

*** Contains Petroleum Distillates* 100.000% w/w

Cis/trans isomers ratio: max. 30% ()cis and min. 70% (*)trans.

*Roussel Bio's SBP-1382® brand of resmethrin insecticide.

Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

For use in and around hotels, motels, homes, greenhouses and bathhouses, food handling establishments, packaging and processing plants, seedhouses, commercial, industrial, office, institutional and storage buildings, dairies, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-455-1 A 42545-MO-1
F 10370-TX-1 P 655-GA-1

P-12/11/89

NET WEIGHT
LOT NO.:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush skin and eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marches, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerate.

STORAGE: Keep in locked storage area.

CONTAINER DISPOSAL: Replace cap and discard container in trash.

In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

Remove protective cap. Aim spray opening away from person. Push button to spray.

For household and industrial use, indoors and around premises.

INDOORS: TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

TO KILL ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, AND MILLIPEDES: Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL ANTS: Spray directly on insects, and around window frames, doors, ant trails and hills.
TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and cracks and crevices which harbor spiders.

OUTDOORS: Apply as a contact spray. Spray directly on insects. Aim spray opening away from person. Avoid spraying plants or turf except to spray infested areas.

ANTS: Same as directed above for indoor use.

WASPS, HORNETS, YELLOW JACKETS, BEES: Same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary.

EARWIGS, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES AND MILLIPEDES: Apply as a contact spray, as for indoor use.

TO KILL TENT CATERPILLARS: Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening, when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

ROUSSEL BIO
CORPORATION

P.O. Box 1077 400 Sylvan Avenue
Englewood Cliffs New Jersey 07632