

APR 08 1991

Mr. Joseph A. Conti
Roussel Bio Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

Dear Mr. Conti:

Subject: Revised Labels

Esbiothrin Aerosol 0.3% Synergized Insecticide

EPA Registration No. 432-588

SBP-1382 Insecticide Concentrate 25% Formula I

EPA Registration No. 432-433

SBP-1382 Pressurized Spray Insecticide 0.25%

EPA Registration No. 432-455

SBP-1382/Esbiothrin/Piperonyl Butoxide Insecticide

Aqueous Pressurized Spray 0.20% + 0.10% + 0.40%

EPA Registration No. 432-626

Your Submissions Dated March 7 and 15, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared:

1. For EPA Registration No. 432-626, delete the last sentence under ENVIRONMENTAL HAZARDS. It is not appropriate for a pressurized container.
2. For EPA Registration No. 432-455, delete petroleum distillate as an active ingredient; include its percentage with the inert total, and add a substatement to the ingredient statement "Contains petroleum distillates."

62483;1:A-4:Mountfort;L10-6:KEVRIC:04/04/91:PERM:CL:WO:EK:CL

BEST AVAILABLE COPY

It is understood that the manufacturing formula on the back of the submitted labels is not considered confidential.

Submit copies of Technical Bulletin 433 for the record (EPA Registration No. 432-433).

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

SBP-1382® PRESSURIZED SPRAY INSECTICIDE 0.25%

**A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS
WASPS, HORNETS, YELLOW JACKETS, BEES, ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES,
SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES, AND TENT CATERPILLARS**

JET STREAM UP TO 12 FOOT RANGE

Electric Strength-Non-Conducting up to 26,500 volts

ACCEPTED
in EPA Letter Dated
APR 08 1991
Under the Federal Insecticide, Fungicide, and Rodenticide Act
Registered under EPA Reg. No. 432-455

ACTIVE INGREDIENTS:

| | |
|--|--------------|
| *•Resmethrin[(5-(phenylmethyl)-2-(p-tert-butylphenyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cytopropane)carboxylate] | 0.250% w/w |
| Petroleum Distillate | 11.375% |
| INERT INGREDIENTS: | 88.375% |
| | 100.000% w/w |

*Cis/trans isomers ratio: max. 30% (+)cis and min. 70% (+)trans.
•Roussel Bio's SBP-1382® brand of resmethrin insecticide.
Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

For use in and around hotels, motels, homes, greenhouses and bathhouses, food handling establishments, packaging and processing plants, slaughterhouses, commercial, industrial, office, institutional and storage buildings, dairies, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, meat and food mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-455 A 42545-MO-1 P-12/11/89
P 10970-JX-1 P 655-GA-1

NET WEIGHT

LOT NO. [Barcode]



PO Box 1077, 400 Sylvan Avenue, Englewood Cliffs, New Jersey 07632

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact. Avoid breathing mist. Cover or remove exposed foods. Avoid utensils and food preparation surfaces. Remove pets and children from spraying area.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush skin and eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water courses, and ponds. Drift and runoff from treated sites may contaminate adjacent waters. Do not contaminate water when disposing of containers.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. DO NOT USE OR STORE IN FLAME. Exposure to temperatures above 130°F may cause bursting into fire or incinerate.

STORAGE: Keep in locked storage area.
CONTAINER DISPOSAL: Replace cap and discard container in trash.

INDOORS: In food handling areas, food should be removed or covered prior to spraying. Processing surfaces should be covered or thoroughly cleaned before machinery is not in operation. Remove protective cap. Aim spray opening away from person.

TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: For household and industrial use, indoors and around premises: Indoors: TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: Spray in the evening when insects are at rest. Spray liberally into particularly under rafters, contacting as many insects as possible around nest openings. Repeat as necessary.

TO KILL ANTS, COCKROACHES, SPIDERS, EARWIGS, GRAIN MITES, BEETLES, SILVERFISH, CENTIPEDES, AND MILLIPEDES: Direct spray into cracks and crevices in floors, baseboards, around pipes, doorways, etc. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL ANTS: Spray directly on insects, and around window frames and doorways.

TO KILL SPIDERS: Spray directly on these pests and use repeatedly in cracks and crevices which harbor spiders.

OUTDOORS: Apply as a contact spray. Spray directly on insects. Person. Avoid spraying plants or turf except to spray infested areas.

ANTS: Same as directed above for indoor use.

WASPS, HORNETS, YELLOW JACKETS, BEES: Same as directed above for indoor use. Contact as many insects as possible around the nest openings.

EARWIGS, SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES: Apply as a contact spray, as for indoor use.

TO KILL TENT CATERPILLARS: Application should be made when tents are first noticed. For best results apply in the late afternoon when caterpillars have returned to their tents. Aim spray directly at tents, and tent openings as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests conducted by us. No warranty is made as to the effects of such or the results to be obtained when used in accordance with directions or established safe practice. The buyer must exercise reasonable care in the use of this product. The manufacturer is not liable for injury or damage, resulting from its misuse as such materials.