

CONSUMER SERVICE
PENICK CORPORATION

432-492 AM 17
1972
PROPOSED ATTENDED LABEL
6/7/85

AC

JUL 17 1975

SBP-1382® AQUEOUS PRESSURIZED SPRAY

INSECTICIDE 0.25 (PD 6.5) FOR HOUSE AND GARDEN

EPA Reg. No. 432-492

ACTIVE INGREDIENTS:

*† Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.250% w/w
Related compounds 0.004%

INERT INGREDIENTS:

99.750%
100.000% w/w

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans
†U.S. Patent Nos. 3,485,007 and 3,542,928
*Penick's SBP-1382® brand of resmethrin insecticide.
Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after use. Cover or remove exposed food. Avoid contamination of cooking utensils and food preparation surfaces. Do not spray animals. Remove pets, birds and cover fish aquariums before spraying. Do not use on food crops. In case of eye contact, flush eyes with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

SHAKE WELL BEFORE USING

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Keep in locked storage area.
CONTAINER DISPOSAL: Replace cap and discard container in trash.

EPA Reg. No. 432-492


EPA Est. 432-NJ-1

NET WEIGHT:

LOT NO.

PENICK Penick Corporation

1050 Wall Street West, Lyndhurst, N.J. 07071 USA



BEST AVAILABLE COPY

SPECIAL LABEL

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

BEST AVAILABLE COPY

PROPOSED AMENDED LABEL
6/17/85

EPA Reg. No. 432-492

SBP-1382-Aqueous Pressurized Spray
DIRECTIONS FOR USE

E-30423-P

Shake well before each use. Remove protective cap. Aim spray away from people. Push button to spray. Apply this product only as specified on this label.

INDOORS-TO KILL MOUSE FLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS-TO KILL CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, silverfish, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

TO KILL GRAIN BEETLES: Confused flour beetles, saw-toothed grain beetles, Lesser grain borer- Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain beetles may be hiding. Repeat as necessary.

ANIMAL PESTS: TO KILL FLEAS ON DOGS, CATS: Apply directly to animals along back under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes or mouth of animal. Thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat the floor areas, cracks and crevices in the floor and along baseboards at the rate of two seconds per linear foot. Spray at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. For outdoor treatment of pet's living quarters, remove animals before spraying. Thoroughly spray the floor, cracks and crevices and bedding until slightly moist. Repeat as necessary.

OUTDOORS-TO KILL FLYING INSECTS: Spray areas infested with mosquitoes, gnats (midges), house flies, horse flies, deer flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS-TO PROTECT ORNAMENTAL PLANTS: Kill aphids, exposed thrips, leafhoppers, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea. Kill mimosa webworm larvae on mimosa (spray directly on insects).

Kill aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on peonies, iris, zinnia, snapdragon, ageratum, chrysanthemums, nasturtiums, daisies, geraniums, marigolds, daphne, fatsy, ivy, lobelia, queen sage, broad-leaf acacia.

Kill aphids, thrips, leafhoppers, plant bugs, Japanese beetles on Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Coenothus.

USE WITH EXTREME CAUTION-certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage.

Spray directly on insects. Hold container 18 to 24 inches from the infested plants. Spray in short bursts of one to three seconds, or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

INDOOR-TO PROTECT PLANTS: Kill aphids, exposed thrips, adult whiteflies on African violets, philodendron, geraniums, begonias, coleus. Spray as directed above. Repeat as necessary to obtain control.

OUTDOORS-TO CONTROL NUISANCE PESTS: Ants: Spray trails,

nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for indoor use.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and bed mattresses and springs. Then treat only areas that may harbor pests, concentrating on tufts, folds, and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

INDOORS-FOR PROTECTION OF WOOLENS: Apply only to garments, blankets, carpets, and other woolen fabrics before placing in storage to kill larvae of webbing clothes moths and black carpet beetles.

Dry clean or wash garments and blankets before treating. Clean carpets, draperies and other fabrics by thoroughly brushing before treating.

Hold the container 14 to 18 inches from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering one foot per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of two seconds per linear foot.

When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors. If application is made indoors do not remain in treated area. Ventilate the area after treatment is complete.

