


NOTIFICATION

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060 Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration	OPP Identifier Number 188475
		<input type="checkbox"/> Amendment	
		<input checked="" type="checkbox"/> Other	

Section I

1. Company/Product Number 432-492	2. EPA Product Manager J. Tavano	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SBP-1382 Aqueous Pressurized Spray Insecticide 0.25 (PD 6.5) For House & Garden	PMS 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised Environmental Hazards Statement as per PR Notice 93-3.

BEST AVAILABLE COPY


NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-3
DATE 7/1/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sharon M. Johnston	Title Registration Specialist	Telephone No. (Include Area Code) (201) 307-9700

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Sharon M. Johnston	5. Date 5-19-93	

SBP-1382® AQUEOUS PRESSURIZED SPRAY INSECTICIDE 0.25 (PD 6.5) FOR HOUSE AND GARDEN

ACTIVE INGREDIENTS:

*•Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.250%w/w

INERT INGREDIENTS: 99.750%
100.000%w/w

*Cis/trans isomers ratio max. 30% (z)cis and min. 70% (z)trans.
©Roussel Uclaf's SBP-1382® brand of resmethrin insecticide.
Roussel Uclaf Corp., 95 Chestnut Ridge Road, Monvale, N.J. 07645

SHAKE WELL BEFORE USING

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-492 A 42545-MO-1 P-12/11/89
F 10370-TX-1 P 655-GA-1
NET WEIGHT:

LOT NO.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Remove exposed foods. Avoid contamination of cooking surfaces. Do not spray animals. Remove pets, birds and cover food. Do not use on food crops. In case of eye contact, flush eyes with water. Attention: Irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply where surface water is present or to intertidal areas below the low tide mark. Runoff from treated sites may be hazardous to fish in adjacent water bodies. When disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate or expose to heat or open flame. Exposure to temperatures above 130°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label directions.

STORAGE: Keep in locked storage
CONTAINER DISPOSAL: Replace cap and discard

NOTICE: Buyer assumes all responsibility for safety and use.

ROUSSEL UCLAF
Roussel Uclaf Corporation
95 Chestnut Ridge Road
Monvale, New Jersey 07645

**NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-4**

DATE: 7/1/93

BEST AVAILABLE COPY

EPA Reg. 432-492

SBP-1382[®] Aqueous Pressurized Spray 0.25
DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray away from people. Push button to spray. Apply this product only as specified on this label.

INDOORS-TO KILL HOUSE FLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS-TO KILL CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, silverfish, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

TO KILL ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

TO KILL GRAIN BEETLES: Confused flour beetles, saw-toothed grain beetles, Lesser grain borer- Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain beetles may be hiding. Repeat as necessary.

ANIMAL PESTS: TO KILL FLEAS ON DOGS, CATS: Apply directly to animals along back under forelegs and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not directly spray in eyes or mouth of animal. Thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat the floor areas, cracks and crevices in the floor and along baseboards at the rate of two seconds per linear foot. Spray at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. For outdoor treatment of pet's living quarters, remove animals before spraying. Thoroughly spray the floor, cracks and crevices, and bedding until slightly moist. Repeat as necessary.

OUTDOORS-TO KILL FLYING INSECTS: Spray areas infested with mosquitoes, gnats (midges), house flies, horse flies, deer flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS-TO PROTECT ORNAMENTAL PLANTS: Kills aphids, exposed thrips, leafhoppers, plant bugs, Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spires, dogwood, palm, mimosa, toyon, viburnum, eucalyptus, oaks, maples, locust, forsythia and althea. Kills mimosa webworm larvae on mimosa (spray directly on insects).

Kills aphids, exposed thrips, adult whiteflies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on peonies, iris, zinnia, snapdragon, ageratum, chrysanthemums, nasturtiums, daisies, geraniums, marigolds, daphne, fatsia, ivy, tobrax, queen sago, broad-leaf acacia.

Kills aphids, thrips, leafhoppers, plant bugs, Japanese beetles on Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Coenothus.

USE WITH EXTREME CAUTION-certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage.

Spray directly on insects. Hold container 18 to 24 inches from the infested plants. Spray in short bursts of one to three seconds, or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

INDOOR-TO PROTECT PLANTS: Kills aphids, exposed thrips, adult whiteflies on African violets, philodendron, geraniums, begonias, coleus. Spray as directed above. Repeat as necessary to obtain control.

OUTDOORS-TO CONTROL NUISANCE PESTS: Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

FLEAS: Same as directed for indoor use.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

INDOORS-FOR PROTECTION OF WOOLENS: Apply only to garments, blankets, carpets, and other woolen fabrics before placing in storage to kill larvae of webbing clothes moths and black carpet beetles.

Dry clean or wash garments and blankets before treating. Clean carpets, draperies and other fabrics by thoroughly brushing before treating.

Hold the container 14 to 18 inches from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering one foot per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. Do not soak or wet fabric. For maximum protection place treated fabrics after drying in plastic or paper bags. Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of two seconds per linear foot.

When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete.

BEST AVAILABLE COPY

3
2
5