

[432-504]

SBP-1382° OI

A NEW SYNTHETIC I

ACTIVE INGREDIENTS:

- (5-Benzyl-3-furyl) methyl 2,
Related compounds
- Aromatic petroleum hydrocarb
Petroleum distillate

INERT INGREDIENTS:

* Cis, trans isomers ratio: max. 30% cis and min. 70% trans
• U.S. Patent No. 3,465,007.

CAUTION: KEEP OUT OF REACH OF CH

Harmful if swallowed. Avoid exposing babies and small children to it from exposure call a physician at once.

DO NOT USE, POUR, SPILL OR STORE CONTAINERS NEAR HEAT. Keep container closed and store at room temperatures above 32° combustible.


DI

This formulation is to be used undiluted in only such applicator equipment that can deliver spray particle size within the range.

THERMAL APPLICATIONS INDOORS- For the control of flies, mosquitoes and gnats in warehouses, restaurants and industrial plants or cover exposed food and food handling surfaces. Protect plant life. Shut off ventilating systems, air ducts, air movement and close off room or area to be treated. Do not use if processing plant is occupied or in operation.

Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fluid ounces per 1,000 cubic feet of space. Direct applicator toward the upper corners of the room and allow fog to settle off room for at least one half hour. Do not remain in treated areas. Ventilate

EPA Reg. No. 432-504



NET CONTENTS GALLONS

YOUR BRAND BASE INSECTICIDE 0.20%

PERMETHROID FOR CONTROL OF FLIES AND MOSQUITOES

Permethroid (dimethyl-3-(2-methylpropenyl)cyclopropane carboxylate)	0.200%
.....	0.027%
.....	0.265%
.....	99.500%
.....	0.008%
Total	100.000%

ars.

PRECAUTIONS:

Avoid fog. If illness results

OR AN OPEN FLAME. This formulation is

DIRECTIONS FOR USE

Use portable thermal applicator within the aerosol

of flies, mosquitoes and gnats in warehouses, restaurants and industrial plants or cover exposed food and food handling surfaces. Protect plant life. Shut off ventilating systems, air ducts, air movement and close off room or area to be treated. Do not use if processing plant is occupied or in operation.

Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 1/3 fluid ounces per 1,000 cubic feet of space. Direct applicator toward the upper corners of the room and allow fog to settle off room for at least one half hour. Do not remain in treated areas. Ventilate

Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using.

This product is toxic to fish and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

CONTAINER DISPOSAL- Do not reuse container. Crush used container and bury in non-cropland soil away from water.

THERMAL APPLICATIONS OUTDOORS-

For reduction in annoyance from flies, mosquitoes, and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables, and other small area applications.

Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3 3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

ACCEPTED
 July 19, 1972
 UNDER THE FEDERAL INSECTICIDE ACT AND REGULATIONS THEREOF FOR FURNISHING TO ATTORNEY GENERAL
 432-504



E-2957Y