

SBP-1382® OIL BASE INSECTICIDE 0.20%

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING
SMALL FLYING INSECTS AND CRAWLING INSECTS:

Houseflies, mosquitoes, gnats, fruit flies, flying moths (millers), wasps, hornets, yellow jackets, cockroaches, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes.

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furylmethyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate] 0.200%w/w

INERT INGREDIENTS:

Contains petroleum distillates

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.
*Roussel Bio's SBP-1382® brand of resmethrin insecticide.
Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-504 A 42545-MO-1 P-12/11/89
F 10370-TX-1 P 655-GA-1

NET CONTENTS:

LOT NO.

ROUSSEL BIO
CORPORATION

PO Box 1077, 400 Sylvan Avenue
Englewood Cliffs, New Jersey 07632



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with breathing mist. Cover or remove exposed foods. Avoid contact with food preparation surfaces. Remove pets and cover fish aquariums.
FIRST AID: In case of contact, immediately flush skin and eyes with water for 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water (streams, ditches, and potholes). Drift and runoff from treated sites may contaminate water when disposing of equipment.
PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame. This formulation is combustible. DO NOT USE, POUR, SPILL OR BURN. Store at room temperatures above 32°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label. For use outdoors in yards, patios, porches, and poultry houses. For use indoors and outside premises of hotels, restaurants, packaging and processing plants, seed houses, institutional and storage buildings, milk handling areas of milk processing plants, supermarkets, restaurants, bottling plants, bakeries, boats, ship cabins, and hospitals. IN HOSPITALS, for use in treatment rooms. Also for use in buses, automobiles, trucks, boxcars, kennels and horse stables. IN HORSE STABLES, NOT FOR USE IN AREAS USED FOR FOOD.

Foods should be removed or covered during treatment. All treated areas should be covered during treatment or thoroughly cleaned before using. Before application, remove plants and animals from area to be treated. Remove horses before spraying stables.

STORAGE: Store product in original container in a cool, dry place.
CONTAINER DISPOSAL: Do not reuse empty container. Put in trash.

DIRECTIONS FOR USE (Continued on next page)

DEC 03 1991

Ms. Christina M. Lawes
Roussel Bio Corporation
170 Beaver Brook Road
Lincoln Park, NJ 07035

Dear Ms. Lawes:

Subject: Federal Register Cancellation Listing
SBP-1382 Oil Base Insecticide 0.20%, 432-504
24.3% SBP-1382 - 2 E.C., 432-505
SBP-1382/Bioallethrin Insect. 10%-10%, 432-508
SBP-1382/Bioallethrin Insect. 8%-16%, 432-537
SBP-1382 3% Multipurpose Spray, 432-547
Submission dated November 15, 1991
Ref: Federal Register Notice, Vol. 56, No. 193
October 4, 1991

This will acknowledge that the ingredient aromatic petroleum solvent contained in the product registrations referenced above has been converted to inert status and is no longer listed as an active ingredient in the product formulation, as was indicated in the referenced Federal Register.

The cited products have been removed from the list of products to be cancelled, which is contained in the EPA FR Notice titled "Notice of Intent to Remove Certain Active Ingredients from Reregistration Lists B and C and to Cancel Pesticides Containing those Ingredients" [OPP-34012: FRL 3880-7], dated October 4, 1991.

Sincerely,



Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division

SBP-1382® OIL BASE INSECTICIDE 0.200%

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING
SMALL FLYING INSECTS AND CRAWLING INSECTS:

Houseflies, mosquitoes, gnats, fruit flies, flying moths (millers), wasps, hornets, yellow jackets, cockroaches, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes.

ACCEPTED
with COMMITMENT
In EPA Letter Dated
MAY 31 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under Reg. No.
432-504 99.800%
100.000%w/w

ACTIVE INGREDIENTS:

*•Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.200%w/w

INERT INGREDIENTS:

Contains petroleum distillates

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.
•Roussel Bio's SBP-1382® brand of resmethrin insecticide.
Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Est.: See Lot No. For Correlation

EPA Reg. No. 432-504

A 42545-MO-1

F 10370-TX-1

P 655-GA-1

P-12/11/89

NET CONTENTS:

LOT NO.

ROUSSEL BIO
CORPORATION
PO Box 1077, 400 Sylvan Avenue
Englewood Cliffs, New Jersey 07632

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with eyes. Do not breathe mist. Cover or remove exposed foods. Avoid contact with food preparation surfaces. Remove pets and cover fish aquariums.
FIRST AID: In case of contact, immediately flush skin and eyes with water for 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to streams, rivers, ponds, and potholes. Drift and runoff from treated sites may contaminate water when disposing of equipment. This formulation is combustible. **DO NOT USE, POUR, SPILL OR BURN.** Store at room temperatures above 32°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label directions.
For use outdoors in yards, patios, porches, patios, poultry houses. For use indoors and outside premises of hotels, motels, restaurants, bars, clubs, schools, day care establishments, packaging and processing plants, seed processing plants, institutional and storage buildings, milk handling areas of processing plants, supermarkets, restaurants, bottling plants, bakeries, boats, ship cabins, and hospitals. **IN HOSPITALS:** For use in treatment rooms, nurseries, and operating rooms. **IN HORSE STABLES:** For use in kennels and horse stables. **IN HORSE STABLES, NOT FOR USE FOR FOOD.**

Foods should be removed or covered during treatment. Areas should be covered during treatment or thoroughly cleaned before use. For use in areas apply only when the facility is not in operation. Before application, remove plants and animals from areas to be treated. Remove horses before spraying stables.

STORAGE: Store product in original container and keep tightly closed.
CONTAINER DISPOSAL: Do not reuse empty container. Put in trash.

DIRECTIONS FOR USE (Continued)