


Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 188476
	Application for Pesticide:		
	Section I		

1. Company/Product Number 432-504	2. EPA Product Manager J. Tavano	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SBP-1382 Oil Base Insecticide 0.20%	PMS 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised Environmental Hazards Statement as per PR Notice 93-3.

BEST AVAILABLE COPY DATE 7/1/93

NOTIFICATION LABEL NOT REVIEWED PER PR NOTICE 93-3

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (_____)		


Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Sharon M. Johnston	Title Registration Specialist	Telephone No. (Include Area Code) (201) 307-9700
-----------------------------------	---	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Registration Specialist	6. Date Application Received (Stamped)
4. Typed Name Sharon M. Johnston	5. Date 5-19-93	

SBP-1382 OIL BASE INSECTICIDE 0.20%

AUTHORIZED BY USDA FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OF MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAM
A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING SMALL FLYING INSECTS AND CRAWLING INSECTS:

Houseflies, mosquitoes, gnats, fruit flies, flying moths (millers), wasps, hornets, yellow jackets, cockroaches, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes.

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.200%w/w

INERT INGREDIENTS†: 99.800%

100.00%w/w

†Contains Petroleum Distillates

*Cis/trans isomers ratio max. 30% (±)cis and min. 70% (±)trans.
 ©Roussel Uclaf's SBP-1382® brand of resmethrin insecticide.
 Roussel Uclaf Corp., 95 Chestnut Ridge Road, Morvale, N.J. 07645

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Est.: See Lot No. For Correlation
 EPA Reg. No: 432-504 A 42545-MO-1 P 655-GA-1
 F 10370-TX-1

NET CONTENTS:
 LOT NO:

NOTIFICATION LABEL NOT REVIEWED PER FR NOTICE 88-8
 DATE: 7/1/83

BEST AVAILABLE COPY
ROUSSEL UCLAF
 Roussel Uclaf Corporation
 95 Chestnut Ridge Road
 Morvale, New Jersey 07645

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS
 CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with breathing mist. Cover or remove exposed foods. Avoid contact with food preparation surfaces. Remove pets and cover fish aquariums.
FIRST AID: In case of contact, immediately flush skin and eyes with water for 15 minutes. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply where surface water is present or to intertidal areas below the mean low tide. Runoff from treated sites may be hazardous to fish in adjacent waters when disposing of equipment washwaters.
PHYSICAL OR CHEMICAL HAZARDS: Extinguish open flame before use. Non-combustible. **DO NOT USE, POUR, SPILL OR STORE** in areas where food is prepared. Store at room temperatures above 32°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label. For use outdoors in yards, patios, picnic areas, campsites, driveways, and poultry houses. For use indoors and outside premises of hotels, restaurants, establishments, packaging and processing plants, seed houses, institutional and storage buildings, milk handling areas of milk processing plants, supermarkets, restaurants, bottling plants, bakeries, boats, ship cabins, and hospitals. **IN HOSPITALS, PATIENTS, AND CHILDREN, DO NOT USE.** Also for use in buses, automobiles, trucks, boxcars, kennels and horse stables. **IN HORSE STABLES, NOT FOR APPLICATION TO FOOD.**

Foods should be removed or covered during treatment. All food containers should be covered during treatment or thoroughly cleaned before using. In food preparation areas apply only when the facility is not in operation. Before application, remove plants and animals from area to be treated. Remove horses before spraying stables.

STORAGE: Store product in original container in a cool, dry place.
CONTAINER DISPOSAL: Do not reuse empty container. Rinse and put in trash.

DIRECTIONS FOR USE (Continued on reverse)

DIRECTIONS FOR USE (Continued)

EPA Reg. 432-504

INDOORS

Thermal Applications - For use undiluted in electric, propane, or gas-powered thermo-foggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

To kill house flies, mosquitoes, gnats, fruit flies, flying moths (millers): Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air duct* air conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. **APPLY AS A DRY FOG AT THE RATE OF 1-1/3 fluid ounces per 1,000 cubic feet of space.** Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

Space Spray: To kill house flies, mosquitoes, gnats, fruit flies, flying moths (millers): Close off room or area to be treated. Shut off air-conditioner and ventilator system: Seal all open vents. Remove animals and plant life. Cover or remove fish aquariums. Apply undiluted as a very fine mist space spray through manually operated equipment or with electric or other powered applicators. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room or area. Fill the area with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Contact Spray: To kill cockroaches, waterbugs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes. Adjust spray to produce large wetting-type spray particles.

Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary

To Kill Ants: Spray around doors and window frames, ant trails, and hills in addition to direct spray to contact insects.

To Kill Spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS

Thermal Applications - This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp-sites, drive-ins, and horse stables. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3 1/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Contact Spray: To kill nuisance pests around buildings, patios and paved areas: Spray directly on insects. Avoid spraying turf or plants.

Ants: Same as directed for indoor application.

Wasps, Hornets, Yellow Jackets: Application should be made in late evening when insects are at rest. Point spray opening away from face. Aim spray at nest opening in bushes, under eaves, chimneys,

cracks and crevices. Thoroughly saturate nest with spray, contacting as many insects as possible. Spray liberally into hiding and breeding places.

EARWIGS, sowbugs, spiders, centipedes and millipedes: Apply as a contact spray, as for indoor use.

To control flies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

BEST AVAILABLE COPY

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

6)
2P
W