

YOUR BRAND SBP-1382® 1.0% AEROSOL FOR TIMED DISPENSER

ACTIVE INGREDIENTS:

*•Resmethrin[(¹-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 1.00%w/w
 Petroleum distillate 18.96%

INERT INGREDIENTS: ** 99.00% 80.04%
 100.00%w/w

*** Contains Petroleum Distillate*

Cis/trans isomers ratio: max. 11%(z) cis and min. 89%(z) trans.

•Roussel Bio's SBP-1382® brand of resmethrin insecticide.

Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

**FOR USE IN AUTOMATIC TIMED DISPENSER
DURING "AFTER HOURS"**

This formula is an effective insecticidal aerosol for use in timed dispensing units, for use only in food handling areas, during the 'after hours' when food handling establishments, restaurants, stores, hospitals, food processing plants and other institutions, where flies, mosquitoes and gnats are an annoyance, would not be in operation. All food processing surfaces should be covered or thoroughly cleaned before using. Avoid contamination of feed and foodstuffs. Use only during nonoperating hours when food is not being processed or served. Use only when insect infestation exists.

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store near heat or open flame.
CONTAINER DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

This aerosol is designed for use in adjustable automatic activators set to dispense a 100mg. dose every 15 minutes for 8 hours while the plant or institution is not in operation. Use one aerosol in a automatic activator for each 6,000 cubic feet of room space to be treated. Install the activator on a wall approximately 7 feet from the floor. Do not install directly over any food handling or dispensing area. Never locate automatic activators in drafty hallways or where air currents are excessive. Select areas where the air currents are least noticeable. The rate of air change, shape of space to be treated, humidity and temperature affect insect activity and insect mite will be noticeable within one hour after the activator is started. After one hour of operation, enough insecticide is suspended in the air to kill a substantial proportion of the flies, mosquitoes and gnats present.

This 12-ounce aerosol contains enough material to operate 825 hours, or 103 days on an 8-hour basis. It is suggested the aerosol be changed once every 3 months on an 8-hour use basis. Also, the activator should be periodically checked to assure it is operating only on the off hours period. As with any method of insect control, improved performance is achieved when good sanitary practices and other supplementary fly control methods are used.

EPA Est.: See Lot No. For Correlation
 EPA Reg. No. 432-519 G 42545-MO-1 P-12/29/87
 H 5905-AR-1 P 655-GA-1

NET WEIGHT:
12 OUNCES

LOT NO.

ROUSSEL BIO
CORPORATION
PO Box 1077 400 Sylvan Avenue
Englewood Cliffs New Jersey 07632

Reviewed. Registered...