

PM03 432-530

10/26/98

1/2

UltraTEC® INSECTICIDE WITH SBP-1382® TRANSPARENT EMULSION** CONCENTRATE 6%

- * 8.28 lb/gal (992 g/L)
- * FOR THE FORMULATION OF INSECTICIDES ONLY
- * NOT FOR RESALE UNDER THIS LABEL

ACTIVE INGREDIENTS:

† Resmethrin	6.0%
INERT INGREDIENTS*:	94.0%
	100.0%

*Contains Methanol and aromatic petroleum solvent
 †Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
 ‡AgrEvo Environmental Health's SBP-1382® brand of resmethrin insecticide.
 **U.S. Patent No. 3,683,078

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 432-530

EPA EST. NO.

(SKIN AND CROSSBONES)

**DANGER
POISON**

(SKIN AND CROSSBONES)

DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention. See side panel for additional precautionary statements.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms persist.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

Note To Physician: This product contains a pyrethroid, petroleum solvent and methanol. The possibility of aspiration pneumonia must be considered. The product can cause severe eye damage, both topically and systemically. Ophthalmology consultation recommended. Treatment is symptomatic. Mucosal damage may contraindicate the use of gastric lavage.

See Side Panel for Additional Precautions

ACCEPTED

OCT 26 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 432-530

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

DANGER

CORROSIVE. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Methanol may cause blindness. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is highly toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State water Board or Regional Office of the EPA.

Physical And Chemical Hazards

Flammable. Keep away from heat or open flame. Flash point minimum of 60°F (15.5°C).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for formulating use only. The formulator using this concentrate is fully responsible for obtaining EPA registrations for his formulated products.

This product may be formulated into end-use products intended for the following acceptable uses: Domestic Indoor (Household), Domestic Outdoor (Household/Ornamental), Indoor Food Handling Establishments (Edible product areas), Non-Commercial Greenhouse Ornamentals, Mosquito Control, Commercial Industrial Use, Treatment of animals not intended for food, stored grain, and uncultivated nonagricultural areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). If exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency; or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and

dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

NET CONTENTS:

